

Ambassador
MARINE

FORMERLY BRANDED AS
SHURflo

...products built for the elements.™



**MARINE GRADE
FAUCETS & SINKS**

Faucets • Showers • Sprayers • Accessories
Stainless Steel & Vessel Sinks • Drains

'27

CONVENIENCE COMFORT & QUALITY MARINE GRADE

This is what your boating experience is all about. Ambassador Marine products offer the Convenience and Comfort you're accustomed to at home, with the added Quality necessary to withstand the harsh marine environment.

Designed specifically for the marine customer, Ambassador Marine faucets, showers, sprayers and accessories carry added features such as stainless steel hardware, extended nickel-plating and state-of-the-art chroming process, ensuring long lasting quality and satisfaction.


Ambassador Marine stainless steel, porcelain & glass vessel sinks and unique drain designs incorporate elements specifically with today's discerning boater in mind. Simple touches like our exclusive SoundKOTE –

Noise Reduction Technology, versatile installation options, heavy gauge passivated 304 stainless steel, tempered glass, real porcelain and coordinated marine-application specific drains will deliver on the "at home" feeling, while on the water.

Offering an array of designs, styles and finishes, Ambassador Marine can satisfy all your faucet and sink needs from the transom shower to the galley. Ambassador Marine products are truly **...products built for the elements.**TM



ambassadormarine.com



INFORMATION

- Products
- Where To Buy
- Sales Contacts
- Product Support
- Catalogs
- Our Story
- Gerber Partnership
- Events & News
- Links

PRODUCT DETAILS

- Available Finishes
- Stock Status
- Spec Drawings
- Installation Hole Size(s)
- Plumbing Connection(s)
- Drain Hole Size
- Sink Flange Style
- Installation Instructions
- Parts Lists
- Warranty
- Related Products
- Certifications & Compliances
- Packaging Styles
- Additional Images
- 3D Renderings

SUPPLIER of the YEAR



On March 5, 2024, out of nearly 90 Preferred Suppliers to the Independent Boat Builders, Inc., Ambassador Marine was again awarded **Supplier of the Year**, for the second year in a row!

We are extremely proud to continue to be recognized by the group of member-builders with their highest honor for our dedication to quality, service and support.



2023 - 1st Place

2024 - 2nd Place

IBBI is a buying cooperative, currently made up of 16 independent boat builders, manufacturing 35 boat brands.





is proud to be the exclusive marketing partner to the marine industry of the complete line of over 3,000

GERBER

Est. 1932

formerly branded as **danze**

**faucets, showerheads, sinks,
toilets, accessories and more...**




**NEVER A DULL
MOMENT**

Every element in your bathroom and kitchen should awaken your senses like a splash of cool water. That's what you'll experience with **Gerber**. Surprisingly beautiful designs that also happen to be surprisingly affordable.

A BREATH OF INSPIRATION

Working within a space, and elevating it.
Blending high style with pure performance.
Delivering innovative, bold, beautiful solutions.
Always in tune with the surroundings.
A touch of grace. A modern line.
Meticulously engineered.
Thoughtfully designed.
This is **Gerber**.



GERBER



2026 CATALOG

**Contact your
Ambassador Marine
sales representative for details and
exclusive Marine Industry trade pricing**

GERBER'S
D225458BS
PARMA® COLLECTION
SINGLE HANDLE FAUCET
IN SATIN BLACK

TRANSOM SHOWERS

HOT/COLD

MARINE GRADE




Transom Shower

AIDACK™ / SMALL SPRAYER SERIES

Stainless Steel Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
- Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup - Integrated Aidack™ Control Valve (Hot/Cold) - Heavy duty, UV protected, ABS plastic sprayer - Complete water shut-off when trigger is not engaged - Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow - Vertical wall-mount, horizontal wall-mount (lid opening up or down) or deck-mount - Stainless steel lid with gasket forms a tight seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight) - Heavy duty pull-out hose - Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces - All brass valve body with metal handle - Ceramic disc valve - Flexible stainless steel braided supply line hoses - Stainless steel mounting screws - Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC) - Connections: 1/2" NPS-M	136-1740-AWΔ	--	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	White Rubber
	136-1747-AWΔ	--	Arctic White & Stainless Steel	Arctic White	10' (3m)	White Rubber
	136-1748-AWΔ	--	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	Stainless Steel
	136-1740-WHΔ	--	Warm White & Stainless Steel	Warm White	6' (1.8m)	White Rubber
	136-1747-WHΔ	--	Warm White & Stainless Steel	Warm White	10' (3m)	White Rubber
	136-1748-WHΔ	--	Warm White & Stainless Steel	Warm White	6' (1.8m)	Stainless Steel
	136-1740-CPΔ	--	Chrome & Stainless Steel	Chrome	6' (1.8m)	Black Rubber
	136-1743-CPΔ	--	Chrome & Stainless Steel	Chrome	6' (1.8m)	White Rubber
	136-1747-CPΔ	--	Chrome & Stainless Steel	Chrome	10' (3m)	White Rubber
	136-1748-CPΔ	--	Chrome & Stainless Steel	Chrome	6' (1.8m)	Stainless Steel
	136-1740-KPΔ	--	Black & Stainless Steel	Black	6' (1.8m)	Black Rubber
	136-1748-KPΔ	--	Black & Stainless Steel	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)



Transom Shower

AIDACK™ / HAMMER-HEAD SPRAYER SERIES

Stainless Steel Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
- Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup - Integrated Aidack™ Control Valve (Hot/Cold) - Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer - Complete water shut-off when trigger is not engaged - Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow - Vertical wall-mount, horizontal wall-mount (lid opening up or down) or deck-mount - Stainless steel lid with gasket forms a tight seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight) - Heavy duty pull-out hose - Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces - All brass valve body with metal handle - Ceramic disc valve - Flexible stainless steel braided supply line hoses - Stainless steel mounting screws - Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC) - Connections: 1/2" NPS-M	136-1742-AWΔ	--	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
	136-1744-AWΔ	--	Arctic White & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
	136-1743-AWΔ	--	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
	136-1742-WHΔ	--	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
	136-1744-WHΔ	--	Warm White & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
	136-1743-WHΔ	--	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel
	136-1742-CAΔ	--	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
	136-1744-CAΔ	--	Chrome & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
	136-1743-CAΔ	--	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
	136-1742-CWΔ	--	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
	136-1744-CWΔ	--	Chrome & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
	136-1743-CWΔ	--	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel

MARINE GRADE

ONLY COLD

TRANSOM SHOWERS



Transom Shower

TRINIDAD™ / SMALL SPRAYER SERIES

Stainless Steel Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
- Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup - Integrated Trinidad™ Control Valve (Cold Only) - Heavy duty, UV protected, ABS plastic sprayer - Complete water shut-off when trigger is not engaged - Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow - Vertical wall-mount, horizontal wall-mount (lid opening up or down) or deck-mount - Stainless steel lid with gasket forms a tight seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight) - Heavy duty pull-out hose - Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces - All brass valve body with metal handle - Ceramic disc valve - Flexible stainless steel braided supply line hoses - Stainless steel mounting screws - Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC) - Connections: 1/2" NPS-M	136-0240-AWΔ	--	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	White Rubber
	136-0247-AWΔ	--	Arctic White & Stainless Steel	Arctic White	10' (3m)	White Rubber
	136-0248-AWΔ	--	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	Stainless Steel
	136-0240-WHΔ	--	Warm White & Stainless Steel	Warm White	6' (1.8m)	White Rubber
	136-0247-WHΔ	--	Warm White & Stainless Steel	Warm White	10' (3m)	White Rubber
	136-0248-WHΔ	--	Warm White & Stainless Steel	Warm White	6' (1.8m)	Stainless Steel
	136-0240-CPΔ	--	Chrome & Stainless Steel	Chrome	6' (1.8m)	Black Rubber
	136-0240-CWΔ	--	Chrome & Stainless Steel	Chrome	6' (1.8m)	White Rubber
	136-0247-CWΔ	--	Chrome & Stainless Steel	Chrome	10' (3m)	White Rubber
	136-0248-CPΔ	--	Chrome & Stainless Steel	Chrome	6' (1.8m)	Stainless Steel
	136-0240-KPΔ	--	Black & Stainless Steel	Black	6' (1.8m)	Black Rubber
	136-0248-KPΔ	--	Black & Stainless Steel	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)



Transom Shower

TRINIDAD™ / HAMMER-HEAD SPRAYER SERIES

Stainless Steel Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
- Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup - Integrated Trinidad™ Control Valve (Cold Only) - Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer - Complete water shut-off when trigger is not engaged - Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow - Vertical wall-mount, horizontal wall-mount (lid opening up or down) or deck-mount - Stainless steel lid with gasket forms a tight seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight) - Heavy duty pull-out hose - Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces - All brass valve body with metal handle - Ceramic disc valve - Flexible stainless steel braided supply line hoses - Stainless steel mounting screws - Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC) - Connections: 1/2" NPS-M	136-0242-AWΔ	--	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
	136-0244-AWΔ	--	Arctic White & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
	136-0243-AWΔ	--	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
	136-0242-WHΔ	--	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
	136-0244-WHΔ	--	Warm White & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
	136-0243-WHΔ	--	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel
	136-0242-CAΔ	--	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
	136-0244-CAΔ	--	Chrome & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
	136-0243-CAΔ	--	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
	136-0242-CWΔ	--	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
	136-0244-CWΔ	--	Chrome & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
	136-0243-CWΔ	--	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel

TRANSOM SHOWERS

HOT/COLD

MARINE GRADE

NEW ITEM

H/C MIXER

5" (12.5 cm)

2 1/2" (6.5 cm)

2 1/4" (6.2 cm)

3 3/8" (8.5 cm)

4 1/4" (10.9 cm)

6 3/4" (17 cm)

2 3/4" (6.8 cm)

2 7/8" (7.3 cm)

1 1/8" (2.9 cm)

5 1/2" (13.3 cm)

OFF

SPRAY

Transom Shower

Plastic Lid

OEM #

Aftermarket #

Cup & Lid

Sprayer Finish

Hose Length

Hose Type

136-1700-AW	--	Arctic White	Arctic White	6' (1.8m)	White Rubber
136-1707-AW§	--	Arctic White	Arctic White	10' (3m)	White Rubber
136-1708-AW	--	Arctic White	Arctic White	6' (1.8m)	Stainless Steel
136-1700-WH	--	Warm White	Warm White	6' (1.8m)	White Rubber
136-1707-WH§	--	Warm White	Warm White	10' (3m)	White Rubber
136-1708-WH	--	Warm White	Warm White	6' (1.8m)	Stainless Steel
136-1700-CP§	--	Chrome	Chrome	6' (1.8m)	Black Rubber
136-1700-CW	--	Chrome	Chrome	6' (1.8m)	White Rubber
136-1707-CW§	--	Chrome	Chrome	10' (3m)	White Rubber
136-1708-CP	--	Chrome	Chrome	6' (1.8m)	Stainless Steel
136-1700-KPΔ	--	Black	Black	6' (1.8m)	Black Rubber
136-1708-KPΔ	--	Black	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)

NEW ITEM

H/C MIXER

5" (12.5 cm)

2 1/2" (6.5 cm)

2 1/4" (6.2 cm)

3 3/8" (8.5 cm)

4 1/4" (10.9 cm)

6 3/4" (17 cm)

2 3/4" (6.8 cm)

2 7/8" (7.3 cm)

1 1/8" (2.9 cm)

5 1/2" (13.3 cm)

OFF

SPRAY

Transom Shower

Plastic Lid

OEM #

Aftermarket #

Cup & Lid

Sprayer Finish

Hose Length

Hose Type

136-1712-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	White Rubber
136-1714-AW§	--	Arctic White	Arctic White & Chrome	10' (3m)	White Rubber
136-1716-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-1712-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	White Rubber
136-1714-WH§	--	Warm White	Warm White & Chrome	10' (3m)	White Rubber
136-1716-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-1712-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	White Rubber
136-1714-CA§	--	Chrome	Arctic White & Chrome	10' (3m)	White Rubber
136-1716-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-1712-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	White Rubber
136-1714-CW§	--	Chrome	Warm White & Chrome	10' (3m)	White Rubber
136-1716-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-1712-CP§	--	Chrome	Black & Chrome	6' (1.8m)	Black Rubber
136-1716-CP	--	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
136-1712-KPΔ	--	Black	Black & Chrome	6' (1.8m)	Black Rubber
136-1716-KPΔ	--	Black	Black & Chrome	6' (1.8m)	Stainless Steel

MARINE GRADE

ONLY COLD

TRANSOM SHOWERS

NEW ITEM

C ONLY

5" (12.5 cm)

2 1/2" (6.5 cm)

2 1/4" (6.2 cm)

3 3/8" (8.5 cm)

4 1/4" (10.9 cm)

6 3/4" (17 cm)

2 3/4" (6.8 cm)

2 7/8" (7.3 cm)

1 1/8" (2.9 cm)

5 1/2" (13.3 cm)

OFF

SPRAY

Transom Shower

Plastic Lid

OEM #

Aftermarket #

Cup & Lid

Sprayer Finish

Hose Length

Hose Type

136-0200-AW	--	Arctic White	Arctic White	6' (1.8m)	White Rubber
136-0207-AW§	--	Arctic White	Arctic White	10' (3m)	White Rubber
136-0208-AW	--	Arctic White	Arctic White	6' (1.8m)	Stainless Steel
136-0200-WH	--	Warm White	Warm White	6' (1.8m)	White Rubber
136-0207-WH§	--	Warm White	Warm White	10' (3m)	White Rubber
136-0208-WH	--	Warm White	Warm White	6' (1.8m)	Stainless Steel
136-0200-CP§	--	Chrome	Chrome	6' (1.8m)	Black Rubber
136-0200-CW	--	Chrome	Chrome	6' (1.8m)	White Rubber
136-0207-CW§	--	Chrome	Chrome	10' (3m)	White Rubber
136-0208-CP	--	Chrome	Chrome	6' (1.8m)	Stainless Steel
136-0200-KPΔ	--	Black	Black	6' (1.8m)	Black Rubber
136-0208-KPΔ	--	Black	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)

NEW ITEM

C ONLY

5" (12.5 cm)

2 1/2" (6.5 cm)

2 1/4" (6.2 cm)

3 3/8" (8.5 cm)

4 1/4" (10.9 cm)

6 3/4" (17 cm)

2 3/4" (6.8 cm)

2 7/8" (7.3 cm)

1 1/8" (2.9 cm)

5 1/2" (13.3 cm)

OFF

SPRAY

Transom Shower

Plastic Lid

OEM #

Aftermarket #

Cup & Lid

Sprayer Finish

Hose Length

Hose Type

136-0212-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0214-AW§	--	Arctic White	Arctic White & Chrome	10' (3m)	White Rubber
136-0216-AW	--	Arctic White	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0212-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	White Rubber
136-0214-WH§	--	Warm White	Warm White & Chrome	10' (3m)	White Rubber
136-0216-WH	--	Warm White	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0212-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	White Rubber
136-0214-CA§	--	Chrome	Arctic White & Chrome	10' (3m)	White Rubber
136-0216-CA	--	Chrome	Arctic White & Chrome	6' (1.8m)	Stainless Steel
136-0212-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	White Rubber
136-0214-CW§	--	Chrome	Warm White & Chrome	10' (3m)	White Rubber
136-0216-CW	--	Chrome	Warm White & Chrome	6' (1.8m)	Stainless Steel
136-0212-CP§	--	Chrome	Black & Chrome	6' (1.8m)	Black Rubber
136-0216-CP	--	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
136-0212-KPΔ	--	Black	Black & Chrome	6' (1.8m)	Black Rubber
136-0216-KPΔ	--	Black	Black & Chrome	6' (1.8m)	Stainless Steel

RECESSED SHOWERS

MARINE
GRADE



Recessed Shower

Stainless Steel Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
• Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup	136-0040-AW	136-0040-AW-R	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	White Rubber
• Heavy duty, UV protected, ABS plastic sprayer	136-0047-AW§	136-0047-AW-R§	Arctic White & Stainless Steel	Arctic White	10' (3m)	White Rubber
• Complete water shut-off when trigger is not engaged	136-0048-AW	136-0048-AW-R	Arctic White & Stainless Steel	Arctic White	6' (1.8m)	Stainless Steel
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	136-0040-WH	136-0040-WH-R	Warm White & Stainless Steel	Warm White	6' (1.8m)	White Rubber
• Wall-mount (lid opening up or down) or deck-mount	136-0047-WH§	136-0047-WH-R§	Warm White & Stainless Steel	Warm White	10' (3m)	White Rubber
• New stainless steel lid with gasket and redesigned ABS plastic cup form a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)	136-0048-WH	136-0048-WH-R	Warm White & Stainless Steel	Warm White	6' (1.8m)	Stainless Steel
• Heavy duty pull-out hose	136-0040-CP§	136-0040-CP-R§	Chrome & Stainless Steel	Chrome	6' (1.8m)	Black Rubber
• Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces	136-0040-CW	136-0040-CW-R	Chrome & Stainless Steel	Chrome	6' (1.8m)	White Rubber
• Stainless steel mounting screws	136-0047-CW§	136-0047-CW-R§	Chrome & Stainless Steel	Chrome	10' (3m)	White Rubber
• Single hole mount, 3" Ø	136-0048-CP	136-0048-CP-R	Chrome & Stainless Steel	Chrome	6' (1.8m)	Stainless Steel
• Connection: 1/2" NPS-F	136-0040-KP§	136-0040-KP-R§	Black & Stainless Steel	Black	6' (1.8m)	Black Rubber
	136-0048-KP	136-0048-KP-R	Black & Stainless Steel	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)



Recessed Shower

Stainless Steel Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
• Solid cast 316 stainless steel lid with UV protected heavy duty ABS plastic cup	136-0042-AW	136-0042-AW-R	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	136-0044-AW§	136-0044-AW-R§	Arctic White & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
• Complete water shut-off when trigger is not engaged	136-0043-AW	136-0043-AW-R	Arctic White & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	136-0042-WH	136-0042-WH-R	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
• Wall-mount (lid opening up or down) or deck-mount	136-0044-WH§	136-0044-WH-R§	Warm White & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
• New stainless steel lid with gasket and redesigned ABS plastic cup form a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)	136-0043-WH	136-0043-WH-R	Warm White & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel
• Heavy duty pull-out hose	136-0042-CA	136-0042-CA-R	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	White Rubber
• Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces	136-0044-CA§	136-0044-CA-R§	Chrome & Stainless Steel	Arctic White & Chrome	10' (3m)	White Rubber
• Stainless steel mounting screws	136-0043-CA	136-0043-CA-R	Chrome & Stainless Steel	Arctic White & Chrome	6' (1.8m)	Stainless Steel
• Single hole mount, 3" Ø	136-0042-CW	136-0042-CW-R	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	White Rubber
• Connection: 1/2" NPS-F	136-0044-CW§	136-0044-CW-R§	Chrome & Stainless Steel	Warm White & Chrome	10' (3m)	White Rubber
	136-0043-CW	136-0043-CW-R	Chrome & Stainless Steel	Warm White & Chrome	6' (1.8m)	Stainless Steel
	136-0042-CP§	136-0042-CP-R§	Chrome & Stainless Steel	Black & Chrome	6' (1.8m)	Black Rubber
	136-0043-CP	136-0043-CP-R	Chrome & Stainless Steel	Black & Chrome	6' (1.8m)	Stainless Steel
	136-0042-KP§	136-0042-KP-R§	Black & Stainless Steel	Black & Chrome	6' (1.8m)	Black Rubber
	136-0043-KP	136-0043-KP-R	Black & Stainless Steel	Black & Chrome	6' (1.8m)	Stainless Steel

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)
§ To Be Upgraded To Extra-Soft Rubber Hose When Inventory Is Depleted

MARINE
GRADE

RECESSED SHOWERS



Recessed Shower

Plastic Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
• UV protected heavy duty ABS plastic lid and cup	136-0000-AW	136-0000-AW-R	Arctic White	Arctic White	6' (1.8m)	White Rubber
• Heavy duty, UV protected, ABS plastic sprayer	136-0007-AW§	136-0007-AW-R§	Arctic White	Arctic White	10' (3m)	White Rubber
• Complete water shut-off when trigger is not engaged	136-0008-AW	136-0008-AW-R	Arctic White	Arctic White	6' (1.8m)	Stainless Steel
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	136-0000-WH	136-0000-WH-R	Warm White	Warm White	6' (1.8m)	White Rubber
• Wall-mount (lid opening up or down) or deck-mount	136-0007-WH§	136-0007-WH-R§	Warm White	Warm White	10' (3m)	White Rubber
• Heavy duty pull-out hose	136-0008-WH	136-0008-WH-R	Warm White	Warm White	6' (1.8m)	Stainless Steel
• Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces	136-0000-CP§	136-0000-CP-R§	Chrome	Chrome	6' (1.8m)	Black Rubber
• Stainless steel mounting screws	136-0000-CW	136-0000-CW-R	Chrome	Chrome	6' (1.8m)	White Rubber
• Single hole mount, 3" Ø	136-0007-CW§	136-0007-CW-R§	Chrome	Chrome	10' (3m)	White Rubber
• Connection: 1/2" NPS-F	136-0008-CP	136-0008-CP-R	Chrome	Chrome	6' (1.8m)	Stainless Steel
	136-0000-KP§	136-0000-KP-R§	Black	Black	6' (1.8m)	Black Rubber
	136-0008-KP	136-0008-KP-R	Black	Black	6' (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)



Recessed Shower

Plastic Lid	OEM #	Aftermarket #	Cup & Lid	Sprayer Finish	Hose Length	Hose Type
• UV protected heavy duty ABS plastic lid and cup	136-0012-AW	136-0012-AW-R	Arctic White	Arctic White & Chrome	6' (1.8m)	White Rubber
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	136-0014-AW§	136-0014-AW-R§	Arctic White	Arctic White & Chrome	10' (3m)	White Rubber
• Complete water shut-off when trigger is not engaged	136-0016-AW	136-0016-AW-R	Arctic White	Arctic White & Chrome	6' (1.8m)	Stainless Steel
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	136-0012-WH	136-0012-WH-R	Warm White	Warm White & Chrome	6' (1.8m)	White Rubber
• Wall-mount (lid opening up or down) or deck-mount	136-0014-WH§	136-0014-WH-R§	Warm White	Warm White & Chrome	10' (3m)	White Rubber
• Heavy duty pull-out hose	136-0016-WH	136-0016-WH-R	Warm White	Warm White & Chrome	6' (1.8m)	Stainless Steel
• Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces	136-0012-CA	136-0012-CA-R	Chrome	Arctic White & Chrome	6' (1.8m)	White Rubber
• Stainless steel mounting screws	136-0014-CA§	136-0014-CA-R§	Chrome	Arctic White & Chrome	10' (3m)	White Rubber
• Single hole mount, 3" Ø	136-0016-CA	136-0016-CA-R	Chrome	Arctic White & Chrome	6' (1.8m)	Stainless Steel
• Connection: 1/2" NPS-F	136-0012-CW	136-0012-CW-R	Chrome	Warm White & Chrome	6' (1.8m)	White Rubber
	136-0014-CW§	136-0014-CW-R§	Chrome	Warm White & Chrome	10' (3m)	White Rubber
	136-0016-CW	136-0016-CW-R	Chrome	Warm White & Chrome	6' (1.8m)	Stainless Steel
	136-0012-CP§	136-0012-CP-R§	Chrome	Black & Chrome	6' (1.8m)	Black Rubber
	136-0014-CP	136-0014-CP-R	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
	136-0016-CP	136-0016-CP-R	Chrome	Black & Chrome	6' (1.8m)	Stainless Steel
	136-0012-KP§	136-0012-KP-R§	Black	Black & Chrome	6' (1.8m)	Black Rubber
	136-0016-KP	136-0016-KP-R	Black	Black & Chrome	6' (1.8m)	Stainless Steel

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)
§ To Be Upgraded To Extra-Soft Rubber Hose When Inventory Is Depleted

RECESSED CONTROL VALVES

MARINE GRADE



Recessed Control Valve

	OEM #	Aftermarket #	Cup & Lid	Lid Style	Control Valve Finish
• Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup	136-1741-CA	--	Arctic White & Stainless Steel	316 Stainless Steel	Chrome
• Integrated Aidack™ Control Valve (Hot/Cold)	136-1741-CW	--	Warm White & Stainless Steel	316 Stainless Steel	Chrome
• Wall-mount (lid opening up or down) or deck-mount	136-1741-CP	--	Chrome & Stainless Steel	316 Stainless Steel	Chrome
• New stainless steel lid with gasket and redesigned ABS plastic cup form a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)	136-1741-CK	--	Black & Stainless Steel	316 Stainless Steel	Chrome
• All brass valve body with metal handle	136-1711-CA	--	Arctic White	ABS Plastic	Chrome
• Ceramic disc valve	136-1711-CW	--	Warm White	ABS Plastic	Chrome
• Flexible stainless steel braided supply line hoses	136-1711-CP	--	Chrome	ABS Plastic	Chrome
• Stainless steel mounting screws	136-1711-CK	--	Black	ABS Plastic	Chrome
• Single hole mount, 3" Ø					
• Connections: 1/2" NPS-M					



Recessed Control Valve

	OEM #	Aftermarket #	Cup & Lid	Lid Style	Control Valve Finish
• Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup	136-0249-CA	--	Arctic White & Stainless Steel	316 Stainless Steel	Chrome
• Integrated Trinidad™ Control Valve (Cold Only)	136-0249-CW	--	Warm White & Stainless Steel	316 Stainless Steel	Chrome
• Wall-mount (lid opening up or down) or deck-mount	136-0249-CP	--	Chrome & Stainless Steel	316 Stainless Steel	Chrome
• New stainless steel lid with gasket and redesigned ABS plastic cup form a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)	136-0249-CK	--	Black & Stainless Steel	316 Stainless Steel	Chrome
• All brass valve body with metal handle	136-0209-CA	--	Arctic White	ABS Plastic	Chrome
• Ceramic disc valve	136-0209-CW	--	Warm White	ABS Plastic	Chrome
• Flexible stainless steel braided supply line hoses	136-0209-CP	--	Chrome	ABS Plastic	Chrome
• Stainless steel mounting screws	136-0209-CK	--	Black	ABS Plastic	Chrome
• Single hole mount, 3" Ø					
• Connections: 1/2" NPS-M					

MARINE GRADE

TRANSOM & RECESSED ACCESSORIES



Transom Cup & Lid Set

	OEM #	Aftermarket #	Cup & Lid	Lid Style
• Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup	136-0025-AW	--	Arctic White & Stainless Steel	316 Stainless Steel
• Vertical wall-mount, horizontal wall-mount (lid opening up or down) or deck-mount	136-0025-WH	--	Warm White & Stainless Steel	316 Stainless Steel
• Stainless steel lid with gasket forms a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)	136-0025-CP	--	Chrome & Stainless Steel	316 Stainless Steel
• Stainless steel mounting screws	136-0025-KP	--	Black & Stainless Steel	316 Stainless Steel
• Two hole mount, 3" Ø (2 1/2" - 2 5/8" CC)	136-0010-AW	--	Arctic White	ABS Plastic
• For use with Ambassador Marine Transom Showers and Control Valves	136-0010-WH	--	Warm White	ABS Plastic
	136-0010-CP	--	Chrome	ABS Plastic
	136-0010-KP	--	Black	ABS Plastic



Recessed Cup & Lid Set

	OEM #	Aftermarket #	Cup & Lid	Lid Style
• Solid cast 316 stainless steel lid or UV protected heavy duty ABS plastic lid with UV protected heavy duty ABS plastic cup	136-0015-AW	--	Arctic White & Stainless Steel	316 Stainless Steel
• Wall-mount (lid opening up or down) or deck-mount	136-0015-WH	--	Warm White & Stainless Steel	316 Stainless Steel
• New stainless steel lid with gasket and redesigned ABS plastic cup form a tighter seal when lid is closed to prevent water from penetrating (NOTE: not guaranteed to be water-tight)	136-0015-CP	--	Chrome & Stainless Steel	316 Stainless Steel
• Stainless steel mounting screws	136-0015-KP	--	Black & Stainless Steel	316 Stainless Steel
• Single hole mount, 3" Ø	136-0005-AW	--	Arctic White	ABS Plastic
• For use with Ambassador Marine Recessed Showers and Control Valves	136-0005-WH	--	Warm White	ABS Plastic
	136-0005-CP	--	Chrome	ABS Plastic
	136-0005-KP	--	Black	ABS Plastic



Mesh Bag

	OEM #	Aftermarket #	Finish
• Breathable nylon mesh	136-0090-KP	136-0090-KP-R	Black

DECK-MOUNT SPRAYERS

MARINE
GRADE




Deck-Mount Sprayer

With Elbow

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
- Single hole mount, 1”- 1 1/4” Ø
- Connection: 1/2” NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0009-AW	134-0009-AW-R	Arctic White & Chrome	Yes	6’ (1.8m)	White Rubber
134-0033-AW§	134-0033-AW-R§	Arctic White & Chrome	Yes	10’ (3m)	White Rubber
134-0031-AW	134-0031-AW-R	Arctic White & Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0020-AW	134-0020-AW-R	Arctic White & Chrome	No	6’ (1.8m)	White Rubber
134-0048-AW§	134-0048-AW-R§	Arctic White & Chrome	No	10’ (3m)	White Rubber
134-0036-AW	134-0036-AW-R	Arctic White & Chrome	No	6’ (1.8m)	Stainless Steel
134-0009-WH	134-0009-WH-R	Warm White & Chrome	Yes	6’ (1.8m)	White Rubber
134-0033-WH§	134-0033-WH-R§	Warm White & Chrome	Yes	10’ (3m)	White Rubber
134-0031-WH	134-0031-WH-R	Warm White & Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0020-WH	134-0020-WH-R	Warm White & Chrome	No	6’ (1.8m)	White Rubber
134-0048-WH§	134-0048-WH-R§	Warm White & Chrome	No	10’ (3m)	White Rubber
134-0036-WH	134-0036-WH-R	Warm White & Chrome	No	6’ (1.8m)	Stainless Steel
134-0009-CP	134-0009-CP-R	Chrome	Yes	6’ (1.8m)	Black Rubber
134-0009-CW	134-0009-CW-R	Chrome	Yes	6’ (1.8m)	White Rubber
134-0033-CW§	134-0033-CW-R§	Chrome	Yes	10’ (3m)	White Rubber
134-0031-CP	134-0031-CP-R	Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0020-CP	134-0020-CP-R	Chrome	No	6’ (1.8m)	Black Rubber
134-0020-CW	134-0020-CW-R	Chrome	No	6’ (1.8m)	White Rubber
134-0048-CW§	134-0048-CW-R§	Chrome	No	10’ (3m)	White Rubber
134-0036-CP	134-0036-CP-R	Chrome	No	6’ (1.8m)	Stainless Steel
134-0009-KP	134-0009-KP-R	Black & Chrome	Yes	6’ (1.8m)	Black Rubber
134-0031-KP	134-0031-KP-R	Black & Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0020-KP	134-0020-KP-R	Black & Chrome	No	6’ (1.8m)	Black Rubber
134-0036-KP	134-0036-KP-R	Black & Chrome	No	6’ (1.8m)	Stainless Steel



Deck-Mount Sprayer

With Elbow

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile or elite low profile≈, chrome plated brass deck holder
- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
- Single hole mount, 1”- 1 1/4” Ø
- Connection: 1/2” NPS-F

HAMMER-HEAD SPRAYER

SERIES

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0041-AW	134-0041-AW-R	Arctic White & Chrome	No	6’ (1.8m)	White Rubber
134-0043-AW§	134-0043-AW-R§	Arctic White & Chrome	No	10’ (3m)	White Rubber
134-0045-AW	134-0045-AW-R	Arctic White & Chrome	No	6’ (1.8m)	Stainless Steel
134-0041-WH≈	134-0041-WH-R≈	Warm White & Chrome	No	6’ (1.8m)	White Rubber
134-0043-WH§≈	134-0043-WH-R§≈	Warm White & Chrome	No	10’ (3m)	White Rubber
134-0045-WH≈	134-0045-WH-R≈	Warm White & Chrome	No	6’ (1.8m)	Stainless Steel
134-0041-KP≈	134-0041-KP-R≈	Black & Chrome	No	6’ (1.8m)	Black Rubber
134-0045-KP≈	134-0045-KP-R≈	Black & Chrome	No	6’ (1.8m)	Stainless Steel

MARINE
GRADE

DECK-MOUNT SPRAYERS



Deck-Mount Sprayer

With Elbow

- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Complete water shut-off when trigger is not engaged
- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
- Single hole mount, 1”- 1 1/4” Ø
- Connection: 1/2” NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0008-WH∞	134-0008-WH-R∞	Warm White & Chrome	Yes	6’ (1.8m)	White Rubber
134-0058-WH∞§	134-0058-WH-R∞§	Warm White & Chrome	Yes	10’ (3m)	White Rubber
134-0057-WH∞	134-0057-WH-R∞	Warm White & Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0059-WH∞	134-0059-WH-R∞	Warm White & Chrome	No	6’ (1.8m)	White Rubber
134-0061-WH∞§	134-0061-WH-R∞§	Warm White & Chrome	No	10’ (3m)	White Rubber
134-0060-WH∞	134-0060-WH-R∞	Warm White & Chrome	No	6’ (1.8m)	Stainless Steel
134-0008-CP∞	134-0008-CP-R∞	Chrome	Yes	6’ (1.8m)	Black Rubber
134-0008-CW∞	134-0008-CW-R∞	Chrome	Yes	6’ (1.8m)	White Rubber
134-0058-CW∞§	134-0058-CW-R∞§	Chrome	Yes	10’ (3m)	White Rubber
134-0057-CP∞	134-0057-CP-R∞	Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0059-CP∞	134-0059-CP-R∞	Chrome	No	6’ (1.8m)	Black Rubber
134-0059-CW∞	134-0059-CW-R∞	Chrome	No	6’ (1.8m)	White Rubber
134-0061-CW∞§	134-0061-CW-R∞§	Chrome	No	10’ (3m)	White Rubber
134-0060-CP∞	134-0060-CP-R∞	Chrome	No	6’ (1.8m)	Stainless Steel
134-0008-KP∞	134-0008-KP-R∞	Black & Chrome	Yes	6’ (1.8m)	Black Rubber
134-0057-KP∞	134-0057-KP-R∞	Black & Chrome	Yes	6’ (1.8m)	Stainless Steel
134-0059-KP∞	134-0059-KP-R∞	Black & Chrome	No	6’ (1.8m)	Black Rubber
134-0060-KP∞	134-0060-KP-R∞	Black & Chrome	No	6’ (1.8m)	Stainless Steel



Deck-Mount Sprayer

With Elbow

- 2-function spray/aerated stream with water conserving “stand-by” button (NOTE: “stand-by” is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer
- Ultra-low profile, chrome plated brass deck holder
- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
- Single hole mount, 1”- 1 1/4” Ø
- Connection: 1/2” NPS-F

OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
134-0012-AWΔ	134-0012-AW-RΔ	Arctic White & Chrome	--	6’ (1.8m)	White Rubber
134-0035-AWΔ	134-0035-AW-RΔ	Arctic White & Chrome	--	10’ (3m)	White Rubber
134-0034-AWΔ	134-0034-AW-RΔ	Arctic White & Chrome	--	6’ (1.8m)	Stainless Steel
134-0012-WH	134-0012-WH-R	Warm White & Chrome	--	6’ (1.8m)	White Rubber
134-0035-WH§	134-0035-WH-R§	Warm White & Chrome	--	10’ (3m)	White Rubber
134-0034-WH	134-0034-WH-R	Warm White & Chrome	--	6’ (1.8m)	Stainless Steel
134-0012-KP	134-0012-KP-R	Black & Chrome	--	6’ (1.8m)	Black Rubber
134-0034-KP	134-0034-KP-R	Black & Chrome	--	6’ (1.8m)	Stainless Steel

DECK-MOUNT SPRAYERS

MARINE
GRADE



Deck-Mount Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic sprayer • Complete water shut-off when trigger is not engaged • Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow • Ultra-low profile, chrome plated brass deck holder • Heavy duty pull-out hose • Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces • Single hole mount, 1”- 1 1/4” Ø • Connection: 1/2” NPS-F	134-0011-AW	134-0011-AW-R	Arctic White	Yes	6’ (1.8m)	White Rubber
	134-0021-AW§	134-0021-AW-R§	Arctic White	Yes	10’ (3m)	White Rubber
	134-0023-AW	134-0023-AW-R	Arctic White	Yes	6’ (1.8m)	Stainless Steel
	134-0049-AW	134-0049-AW-R	Arctic White	No	6’ (1.8m)	White Rubber
	134-0051-AW§	134-0051-AW-R§	Arctic White	No	10’ (3m)	White Rubber
	134-0050-AW	134-0050-AW-R	Arctic White	No	6’ (1.8m)	Stainless Steel
	134-0011-WH	134-0011-WH-R	Warm White	Yes	6’ (1.8m)	White Rubber
	134-0021-WH§	134-0021-WH-R§	Warm White	Yes	10’ (3m)	White Rubber
	134-0023-WH	134-0023-WH-R	Warm White	Yes	6’ (1.8m)	Stainless Steel
	134-0049-WH	134-0049-WH-R	Warm White	No	6’ (1.8m)	White Rubber
	134-0051-WH§	134-0051-WH-R§	Warm White	No	10’ (3m)	White Rubber
	134-0050-WH	134-0050-WH-R	Warm White	No	6’ (1.8m)	Stainless Steel
	134-0011-CP	134-0011-CP-R	Chrome	Yes	6’ (1.8m)	Black Rubber
	134-0011-CW	134-0011-CW-R	Chrome	Yes	6’ (1.8m)	White Rubber
	134-0021-CW§	134-0021-CW-R§	Chrome	Yes	10’ (3m)	White Rubber
	134-0023-CP	134-0023-CP-R	Chrome	Yes	6’ (1.8m)	Stainless Steel
	134-0049-CP	134-0049-CP-R	Chrome	No	6’ (1.8m)	Black Rubber
	134-0049-CW	134-0049-CW-R	Chrome	No	6’ (1.8m)	White Rubber
	134-0051-CW§	134-0051-CW-R§	Chrome	No	10’ (3m)	White Rubber
	134-0050-CP	134-0050-CP-R	Chrome	No	6’ (1.8m)	Stainless Steel
	134-0011-KP	134-0011-KP-R	Black	Yes	6’ (1.8m)	Black Rubber
	134-0023-KP	134-0023-KP-R	Black	Yes	6’ (1.8m)	Stainless Steel
	134-0049-KP	134-0049-KP-R	Black	No	6’ (1.8m)	Black Rubber
	134-0050-KP	134-0050-KP-R	Black	No	6’ (1.8m)	Stainless Steel



Deck-Mount Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer • Complete water shut-off when trigger is not engaged • Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow • Ultra-low profile or elite low profile≈, chrome plated brass deck holder • Heavy duty pull-out hose • Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces • Single hole mount, 1”- 1 1/4” Ø • Connection: 1/2” NPS-F	134-0040-AW	134-0040-AW-R	Arctic White & Chrome	No	6’ (1.8m)	White Rubber
	134-0042-AW§	134-0042-AW-R§	Arctic White & Chrome	No	10’ (3m)	White Rubber
	134-0044-AW	134-0044-AW-R	Arctic White & Chrome	No	6’ (1.8m)	Stainless Steel
	134-0040-WH≈	134-0040-WH-R≈	Warm White & Chrome	No	6’ (1.8m)	White Rubber
	134-0042-WH§≈	134-0042-WH-R§≈	Warm White & Chrome	No	10’ (3m)	White Rubber
	134-0044-WH≈	134-0044-WH-R≈	Warm White & Chrome	No	6’ (1.8m)	Stainless Steel
	134-0040-KP§≈	134-0040-KP-R§≈	Black & Chrome	No	6’ (1.8m)	Black Rubber
	134-0044-KP≈	134-0044-KP-R≈	Black & Chrome	No	6’ (1.8m)	Stainless Steel

MARINE
GRADE

DECK-MOUNT SPRAYERS



Deck-Mount Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Integrated Hook	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic sprayer • Complete water shut-off when trigger is not engaged • Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow • Ultra-low profile, chrome plated brass deck holder • Heavy duty pull-out hose • Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces • Single hole mount, 1”- 1 1/4” Ø • Connection: 1/2” NPS-F	134-0010-WH∞	--	Warm White	Yes	6’ (1.8m)	White Rubber
	134-0053-WH∞§	--	Warm White	Yes	10’ (3m)	White Rubber
	134-0052-WH∞	--	Warm White	Yes	6’ (1.8m)	Stainless Steel
	134-0054-WH∞	--	Warm White	No	6’ (1.8m)	White Rubber
	134-0056-WH∞§	--	Warm White	No	10’ (3m)	White Rubber
	134-0055-WH∞	--	Warm White	No	6’ (1.8m)	Stainless Steel
	134-0010-CP∞	--	Chrome	Yes	6’ (1.8m)	Black Rubber
	134-0010-CW∞	--	Chrome	Yes	6’ (1.8m)	White Rubber
	134-0053-CW∞§	--	Chrome	Yes	10’ (3m)	White Rubber
	134-0052-CP∞	--	Chrome	Yes	6’ (1.8m)	Stainless Steel
	134-0054-CP∞	--	Chrome	No	6’ (1.8m)	Black Rubber
	134-0054-CW∞	--	Chrome	No	6’ (1.8m)	White Rubber
	134-0056-CW∞§	--	Chrome	No	10’ (3m)	White Rubber
	134-0055-CP∞	--	Chrome	No	6’ (1.8m)	Stainless Steel
	134-0010-KP∞	--	Black	Yes	6’ (1.8m)	Black Rubber
	134-0052-KP∞	--	Black	Yes	6’ (1.8m)	Stainless Steel
	134-0054-KP∞	--	Black	No	6’ (1.8m)	Black Rubber
	134-0055-KP∞	--	Black	No	6’ (1.8m)	Stainless Steel

Bulkhead Sprayer Holders

sold separately (see page 39)

MARINE
GRADE

COLD ONLY

CONTROL VALVES



Control Valve
Thin Wall / Fiberglass Mount

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4” Ø
- Connections: 1/2” NPS-M

CONTROL VALVES

HOT/COLD

MARINE GRADE



Control Valve

Thin Wall / Fiberglass Mount

AIDACK™ SERIES

OEM #	Aftermarket #	Finish
136-1706-CP	--	Chrome

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



Control Valve

Thin Wall / Fiberglass Mount

ARTAINÉ™ SERIES

OEM #	Aftermarket #	Finish
136-2006-CP	--	Chrome
136-2006-NP	--	Brushed Nickel
136-2006-VMK	--	Dura-Life Finish™ Matte Black

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



Control Valve

Thin Wall / Fiberglass Mount

STASIS™ SERIES

OEM #	Aftermarket #	Finish
136-0106-CP≈	--	Chrome

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

MARINE GRADE

WATER INLETS & OUTLETS



Water Inlet

- Solid cast 316 stainless steel body and spin-nut
- Vinyl coated steel cable with water-tight chrome plated heavy duty ABS plastic cap
- Uses #8 fasteners (not included)
- Single hole mount, 1 1/4" Ø
- Connections: 3/4" NH-F (standard garden hose) to 1/2" NPT-F



Water Outlet

- Solid cast 316 stainless steel body
- Vinyl coated steel cable with water-tight chrome plated heavy duty ABS plastic cap
- Uses #8 fasteners (not included)
- Single hole mount, 1 1/4" Ø
- Connections: 3/4" NH-M (standard garden hose) to 1/2" NPT-F

MARINE GRADE

SPIGOTS



Stainless Steel Spigot

- All cast 316 stainless steel body and handle
- All 316 stainless steel compression cartridge
- All 316 stainless steel mounting hardware
- Wall or deck mounting option
- Single hole mount, 3/4" - 1" Ø
- Connections: 1/2" NPS-M supply to 3/4" NH-M (standard garden hose)



SOLACE 415CS
FEATURING AIDACK™ ELITE FOLDING FAUCET# 132-1726-CP
& BUILD-IN SOAP DISPENSER# 130-0011-CP
& STAINLESS STEEL SINK# S44-1610-UM






Folding Tap

- Spout rotates 180° front/back
- All brass body and spout with metal handle
- Compression valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
--	133-0208-CP	Chrome










Elite Folding Tap
J-Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-1709-CP	--	Chrome










NEW
DURA-LIFE
FINISH™
MATTE BLACK

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and ribbon spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-2009-CP	--	Chrome
132-2009-NP	--	Brushed Nickel
132-2009-VMK	--	Dura-Life Finish™ Matte Black










Elite Folding Tap
J-Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
--	133-0209-CP	Chrome










Elite Folding Tap
Arc Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-1729-CP	--	Chrome










Elite Folding Tap
Arc Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-0229-CP	--	Chrome










Elite Folding Tap
Angled Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-1739-CP	--	Chrome










Elite Folding Tap
Angled Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M

OEM #	Aftermarket #	Finish
132-0239-CP	--	Chrome








Elite Folding Faucet

J-Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M



AIDACK™ SERIES


OEM #	Aftermarket #	Finish
132-1725-CP	--	Chrome



Elite Folding Faucet

J-Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and ribbon spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M



ARTAINE™ SERIES


OEM #	Aftermarket #	Finish
132-2025-CP	--	Chrome
132-2025-NP	--	Brushed Nickel
132-2025-VMK	--	Dura-Life Finish™ Matte Black



Elite Folding Faucet

J-Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handles
- Ceramic disc valves
- Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)
- Connections: 1/2" NPS-M



TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
--	133-0210-CP	Chrome




EDGEWATER 200CC
FEATURING DECK-MOUNT SPRAYER# 134-0009-CP



Elite Folding Faucet

Arc Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M



AIDACK™ SERIES


OEM #	Aftermarket #	Finish
132-1726-CP	--	Chrome



Elite Folding Faucet

Arc Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handles
- Ceramic disc valves
- Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)
- Connections: 1/2" NPS-M



TRINIDAD™ SERIES


OEM #	Aftermarket #	Finish
132-0230-CP	--	Chrome



Elite Folding Faucet

Angled Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M



AIDACK™ SERIES


OEM #	Aftermarket #	Finish
132-1727-CP	--	Chrome



Elite Folding Faucet

Angled Spout

- Spout rotates 180° front/back and swivels 180° side/side
- All brass body and spout with metal handles
- Ceramic disc valves
- Two hole mount, 3/4" - 1" Ø (2 1/2" - 2 3/4" CC)
- Connections: 1/2" NPS-M



TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
132-0240-CP	--	Chrome

PULL-OUT TAPS

COLD ONLY

MARINE GRADE



Pull-Out Deck Tap

AIDACK™ / CLASSIC SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• 2-function spray/aerated stream with water conserving "stand-by" button (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)	134-1712-CA§	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-1735-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-1734-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-1712-CW§	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-1735-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-1734-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Heavy duty pull-out hose	134-1712-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-1734-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

- All brass body with locking teeth and metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 39)



Pull-Out Deck Tap

AIDACK™ / SMALL SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-1720-CA§	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-1748-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-1736-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Complete water shut-off when trigger is not engaged	134-1720-CW§	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-1748-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-1736-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	134-1720-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-1736-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-1720-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
• Heavy duty pull-out hose	134-1736-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

- All brass body with locking teeth and metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 39)



MARINE GRADE

COLD ONLY

PULL-OUT TAPS



Pull-Out Deck Tap

AIDACK™ / KITCHEN SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• 2-function spray/aerated stream	134-1777-CW§	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-1777-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-1779-CW	--	Chrome	Chrome w/Locking Teeth	10' (3m)	White Rubber
• Heavy duty pull-out hose	134-1778-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

- All brass body with locking teeth and metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 39)



Pull-Out Deck Tap

AIDACK™ / LARGE SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-1759-CP∞	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-1760-CP∞	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-1759-CK∞	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
• Complete water shut-off when trigger is not engaged	134-1760-CK∞	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces
- All brass body with locking teeth and metal handle
- Flexible stainless steel braided supply line hose
- Ceramic disc valve
- Two hole mount, 1" Ø (1" - 1 1/8" CC)
- Connection: 1/2" NPS-M

Bulkhead Sprayer Holder

with Ambassador Marine's unique LOCKING TEETH

sold separately (see page 39)



PULL-OUT FAUCETS

HOT/COLD

MARINE GRADE



Head/Shower Combo Faucet

TRINIDAD™ / CLASSIC SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• 2-function spray/aerated stream with water conserving "stand-by" button (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)	134-0204-CA§	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0262-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0224-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-0204-CW§	135-0204-CW§	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0262-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0224-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Heavy duty pull-out hose	134-0263-CW∞§	--	Chrome	Warm White & Chrome NO Locking Teeth	6' (1.8m)	White Rubber
	134-0264-CW∞	--	Chrome	Warm White & Chrome NO Locking Teeth	10' (3m)	White Rubber
	134-0230-CW∞	--	Chrome	Warm White & Chrome NO Locking Teeth	6' (1.8m)	Stainless Steel
• Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces	134-0204-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0224-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0263-CK∞	--	Chrome	Black & Chrome NO Locking Teeth	6' (1.8m)	Black Rubber
• All brass body with locking teeth and metal handles	134-0230-CK∞	--	Chrome	Black & Chrome NO Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder
with Ambassador Marine's unique LOCKING TEETH
sold separately (see page 39)



Head/Shower Combo Faucet

TRINIDAD™ / SMALL SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-0213-CA§	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0266-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0265-CA	--	Chrome	Arctic White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Complete water shut-off when trigger is not engaged	134-0213-CW§	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0266-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	10' (3m)	White Rubber
	134-0265-CW	--	Chrome	Warm White & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow	134-0213-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0265-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
	134-0213-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
• Heavy duty pull-out hose	134-0265-CK	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder
with Ambassador Marine's unique LOCKING TEETH
sold separately (see page 39)



MARINE GRADE

HOT/COLD

PULL-OUT FAUCETS



Head/Shower Combo Faucet

TRINIDAD™ / KITCHEN SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• 2-function spray/aerated stream	134-0227-CW§	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	White Rubber
	134-0227-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0229-CW	--	Chrome	Chrome w/Locking Teeth	10' (3m)	White Rubber
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-0228-CP	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces
- All brass body with locking teeth and metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder
with Ambassador Marine's unique LOCKING TEETH
sold separately (see page 39)



Head/Shower Combo Faucet

TRINIDAD™ / LARGE SPRAYER SERIES

	OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
• Heavy duty, UV protected, ABS plastic and chrome plated brass sprayer	134-0215-CP∞	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0267-CP∞	--	Chrome	Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel
• Complete water shut-off when trigger is not engaged	134-0215-CK∞	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Black Rubber
	134-0267-CK∞	--	Chrome	Black & Chrome w/Locking Teeth	6' (1.8m)	Stainless Steel

- Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow
- Heavy duty pull-out hose
- Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no "memory", making it ideal for gathering in tight spaces
- All brass body with locking teeth and metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder

Bulkhead Sprayer Holder
with Ambassador Marine's unique LOCKING TEETH
sold separately (see page 39)



PULL-OUT FAUCETS


HOT/COLD

MARINE
GRADE

NEW
ITEM

H/C
MIXER





AERATE

SPRAY

AIDACK™ SERIES


OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
--	133-1734-CP	Chrome	2-Function	6' (1.8m)	Stainless Steel
132-1735-CP	--	Chrome	2-Function	10' (3m)	Stainless Steel

- 2-function spray/aerated stream pull-out slim wand sprayer
- Heavy duty pull-out hose with retraction and quick-connect fitting
- All brass body and high arc swivel spout with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

NEW
ITEM

H/C
MIXER





AERATE

SPRAY

IRVA™ SERIES


OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
132-2112-CP	--	Chrome	2-Function	4' (1.2m)	Stainless Steel
132-2112-NP	--	Brushed Nickel	2-Function	4' (1.2m)	Stainless Steel

- 2-function spray/aerated stream pull-out sprayer
- Heavy duty pull-out hose with retraction and quick-connect fitting
- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

H/C
MIXER

REFRESHED
DESIGN





AERATE

SPRAY

NAUTILUS™ SERIES

OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
132-1003-NP	--	Brushed Nickel	2-Function	4' (1.2m)	Stainless Steel

- 2-function spray/aerated stream pull-out sprayer
- Heavy duty pull-out hose with retraction and quick-connect fitting
- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

Built-In Soap Dispensers

sold separately (see page 31)



MARINE
GRADE


HOT/COLD

PULL-OUT FAUCETS

H/C
MIXER

REFRESHED
DESIGN





AERATE

SPRAY

PACIFICA™ (UNIVERSAL) SERIES


OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
132-0003-CP	--	Chrome	2-Function	4' (1.2m)	Stainless Steel
132-0031-CP	--	Chrome	2-Function	6' (1.8m)	Stainless Steel
132-0003-NP	--	Brushed Nickel	2-Function	4' (1.2m)	Stainless Steel
132-0031-NP	--	Brushed Nickel	2-Function	6' (1.8m)	Stainless Steel

- 2-function spray/aerated stream pull-out sprayer
- Heavy duty pull-out hose with retraction and quick-connect fitting
- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

H/C
MIXER

REFRESHED
DESIGN





AERATE

SPRAY

STASIS™ SERIES

OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
--	133-0112-CP	Chrome	2-Function	4' (1.2m)	Stainless Steel

- 2-function spray/aerated stream pull-out sprayer
- Heavy duty pull-out hose with retraction and quick-connect fitting
- Swivel spout
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

Built-In Soap Dispensers

sold separately (see page 31)



CROWNLIN E285
FEATURING AIDACK™ ELITE FOLDING TAP# 132-1729-CP
& STAINLESS STEEL SINK# 514-2500-BR

GALLEY FAUCETS


HOT/COLD

MARINE GRADE



Galley Faucet

- All brass body and swivel spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M




STASIS™ SERIES

OEM #	Aftermarket #	Finish
132-0101-CP	--	Chrome



Galley Faucet
High Arc Spout

- All brass body and swivel spout with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M




TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
--	133-0202-CP	Chrome



Galley Faucet
Cast Spout

- All brass body and cast swivel spout with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish
132-0205-CP≈	--	Chrome
132-0205-CG∞	--	Chrome & 18k Gold

Built-In Soap Dispensers

sold separately (see page 31)



MARINE GRADE

GALLEY ACCESSORIES




Built-In Soap Dispenser

- Lift-out nozzle and pump allows for easy refilling from above counter
- Heavy duty pump and nozzle for thicker soaps / lotions
- All brass nozzle and housing
- Clear plastic bottle for easy fill monitoring
- Single hole mount, 1" - 1 1/4" Ø



OEM #	Aftermarket #	Finish
130-0011-CP	--	Chrome
130-0011-NP≈	--	Brushed Nickel




Vessel Tap

- Sized specifically to fit Ambassador Marine's vessel sinks
- All brass body and spout with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-0743-CP	--	Chrome



AVIANI™ SERIES




Galley Tap
High Arc Spout

- All cast brass body with brass spout and metal handle
- High arc swivel spout
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
132-0206-CP	132-0206-CP-R	Chrome



TRINIDAD™ SERIES




Deck Tap

- All cast brass body with metal handle
- Ceramic disc valve
- Single hole mount, 3/4" - 1" Ø
- Connection: 1/2" NPS-M



OEM #	Aftermarket #	Finish
--	133-0211-CP	Chrome




TRINIDAD™ SERIES

HEAD FAUCETS

HOT/COLD

MARINE GRADE





Head Faucet

OEM #

Aftermarket #


Finish

132-0600-CP[∞]

--

Chrome

- "Joystick" control
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





Head Faucet

OEM #

Aftermarket #


Finish

132-0700-CP

--

Chrome

- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





Head Faucet

OEM #

Aftermarket #

Finish

132-2100-CP

--

Chrome

132-2100-NP

--


Brushed Nickel

- All brass body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-F

MARINE GRADE

HOT/COLD

HEAD FAUCETS





Head Faucet

OEM #

Aftermarket #

Finish

132-0800-CP[≈]

--


Chrome

132-0800-CG[∞]

--

Chrome & 18k Gold

- All brass body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





Head Faucet

OEM #

Aftermarket #


Finish

132-0100-CP

132-0100-CP-R

Chrome

- All brass body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M





Head Faucet

OEM #

Aftermarket #

Finish

--

133-0207-CP

Chrome

- All brass body with metal handles
- Flexible stainless steel braided supply line hoses
- Ceramic disc valves
- Easy-Grip mounting hardware
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

WALL-MOUNT FAUCETS

HOT/COLD

MARINE GRADE



Wall-Mount Faucet

AIDACK™ SERIES

OEM #	Aftermarket #	Finish
132-1724-CP	--	Chrome

- Specifically designed for thin (fiberglass) walls
- Control valve can be installed on left or right side of spout with variable spacing
- Easy installation – mounts directly to bulkhead (no strapping required)
- All brass body and spout with metal handle
- Flexible stainless steel braided supply lines and valve-to-spout connector hose with quick-connect
- Ceramic disc valve
- Two-hole mount, 1 1/4" Ø (or 1 1/4" Ø + 3/4" - 1" Ø)
- Connections: 1/2" NPS-M



Wall-Mount Faucet

ARTAINE™ SERIES

OEM #	Aftermarket #	Finish
132-2024-CP	--	Chrome
132-2024-NP	--	Brushed Nickel

- Specifically designed for thin (fiberglass) walls
- Control valve can be installed on left or right side of spout with variable spacing
- Easy installation – mounts directly to bulkhead (no strapping required)
- All brass body and ribbon spout with metal handle
- Flexible stainless steel braided supply lines and valve-to-spout connector hose with quick-connect
- Ceramic disc valve
- Two-hole mount, 1 1/4" Ø (or 1 1/4" Ø + 3/4" - 1" Ø)
- Connections: 1/2" NPS-M

VESSEL FAUCETS

HOT/COLD

MARINE GRADE



Vessel Faucet

AVIANI™ SERIES

OEM #	Aftermarket #	Finish
132-0723-CP	--	Chrome

- Sized specifically to fit Ambassador Marine's vessel sinks
- All brass body and spout with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

MARINE GRADE

HOT/COLD

MINI SHOWER MIXERS



Mini Shower Mixer

Thin Wall / Fiberglass Mount

AIDACK™ SERIES

OEM #	Aftermarket #	Finish
136-1706-CP	--	Chrome

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



Mini Shower Mixer

Thin Wall / Fiberglass Mount

ARTAINE™ SERIES

OEM #	Aftermarket #	Finish
136-2006-CP	--	Chrome
136-2006-NP	--	Brushed Nickel
136-2006-VMK	--	Dura-Life Finish™ Matte Black

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Flexible stainless steel braided supply line hoses
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M



Mini Shower Mixer

Thin Wall / Fiberglass Mount

STASIS™ SERIES

OEM #	Aftermarket #	Finish
136-0106-CP≈	--	Chrome

- Wall or deck mounting option
- Designed for thin (fiberglass) walls/surfaces
- All brass valve body with metal handle
- Ceramic disc valve
- Easy installation – mounts directly to bulkhead/deck (no strapping required)
- Single hole mount, 1 1/4" Ø
- Connections: 1/2" NPS-M

SHOWER MIXERS

HOT/COLD

MARINE
GRADE

H/C
MIXER

REFRESHED
DESIGN




1 3/4" (4.4 cm)

4" (10.2 cm)

2 1/4" (5.7 cm)

1 5/8" (4.1 cm)



AVIANI™ SERIES

OEM #	Aftermarket #	Finish
134-0732-CP	--	Chrome

• Wall or deck mounting option

• Designed for thin (fiberglass) walls/surfaces

• All brass valve body and trim plate with metal handle

• Flexible stainless steel braided supply line hoses

• Ceramic disc valve

• Easy installation – mounts directly to bulkhead/deck (no strapping required)

• Single hole mount, 1 3/4" - 2" Ø

• Connections: 1/2" NPS-M

H/C
MIXER

NEW
ITEM




1 3/4" (4.4 cm)

4" (10.2 cm)

2 3/8" (6 cm)

1 5/8" (4.1 cm)



IRVA™ SERIES

OEM #	Aftermarket #	Finish
134-2132-CP	--	Chrome
134-2132-NP	--	Brushed Nickel

• Wall or deck mounting option

• Designed for thin (fiberglass) walls/surfaces

• All brass valve body and trim plate with metal handle

• Flexible stainless steel braided supply line hoses

• Ceramic disc valve

• Easy installation – mounts directly to bulkhead/deck (no strapping required)

• Single hole mount, 1 3/4" - 2" Ø

• Connections: 1/2" NPS-M

H/C
MIXER




1 3/4" (4.4 cm)

4" (10.2 cm)

3 1/4" (8.3 cm)

1 5/8" (4.1 cm)



PACIFICA™ (UNIVERSAL) SERIES

OEM #	Aftermarket #	Finish
134-0832-CP	--	Chrome

• Wall or deck mounting option

• Designed for thin (fiberglass) walls/surfaces

• All brass valve body and trim plate with metal handle

• Flexible stainless steel braided supply line hoses

• Ceramic disc valve

• Easy installation – mounts directly to bulkhead/deck (no strapping required)

• Single hole mount, 1 3/4" - 2" Ø

• Connections: 1/2" NPS-M

MARINE
GRADE

HOT/COLD

SHOWER MIXERS

H/C
MIXER




1 3/4" (4.4 cm)

4" (10.2 cm)

3 1/4" (8.3 cm)

1 5/8" (4.1 cm)



STASIS™ SERIES

OEM #	Aftermarket #	Finish
134-0132-CP	134-0132-CP-R	Chrome

• Wall or deck mounting option

• Designed for thin (fiberglass) walls/surfaces

• All brass valve body and trim plate with metal handle

• Flexible stainless steel braided supply line hoses

• Ceramic disc valve

• Easy installation – mounts directly to bulkhead/deck (no strapping required)

• Single hole mount, 1 3/4" - 2" Ø

• Connections: 1/2" NPS-M

H/C
MIXER



5 1/2" (13.3 cm)

2" (5.1 cm)


3" (7.6 cm)

6" (15.2 cm)

2 1/2" (6.4 cm)

1" (2.5 cm)

4" (10.2 cm)



TRINIDAD™ SERIES

OEM #	Aftermarket #	Body Finish	Sprayer Finish	Hose Length	Hose Type
134-0214-CA	--	Chrome	Arctic White	6' (1.8m)	White Rubber
134-0217-CA§	--	Chrome	Arctic White	10' (3m)	White Rubber
134-0207-CA	--	Chrome	Arctic White	6' (1.8m)	Stainless Steel
134-0214-CW	--	Chrome	Warm White	6' (1.8m)	White Rubber
134-0217-CW§	--	Chrome	Warm White	10' (3m)	White Rubber
134-0207-CW	--	Chrome	Warm White	6' (1.8m)	Stainless Steel
134-0214-CP§	--	Chrome	Chrome	6' (1.8m)	Black Rubber
134-0207-CP	--	Chrome	Chrome	6' (1.8m)	Stainless Steel
134-0214-CK§	--	Chrome	Black	6' (1.8m)	Black Rubber
134-0207-CK	--	Chrome	Black	6' (1.8m)	Stainless Steel

• Heavy duty, UV protected, ABS plastic sprayer

• Complete water shut-off when trigger is not engaged

• Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow

• Heavy duty hose

• Rubber hose versions– Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces

• ABS plastic 2-position bulkhead sprayer holder

• Designed for thin (fiberglass) walls/surfaces

• All brass body with metal handles

• Compression valves

• Easy installation – mounts directly to bulkhead (no strapping required)

• Two hole mount, 1" Ø (4" CC)

• Connections: 1/2" NPS-M



SOLACE 32 CS

FEATURING AIDACK™ PULL-OUT DECK TAP# 134-1734-CK

OEM # – Not Labeled Or Packaged For Resale

Aftermarket # – Labeled And Packaged For Resale

NOTE: Dimension Drawings ±1/8" (for reference only – may not be to scale)

§ To Be Upgraded To Extra-Soft Rubber Hose When Inventory Is Depleted

37

Visit ambassadormarine.com for more information

HAND-HELD SHOWERS

MARINE
GRADE



REFRESHED
DESIGN

Elite Slide Bar Shower

OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
--	135-0000-CP	Chrome	6-Function	6' (1.8m)	Stainless Steel

- 6-function, heavy duty, ABS plastic sprayer with self-cleaning jets
- Water conserving "stand-by" setting (**NOTE:** "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty hose
- All brass 90° bulkhead elbow with brass nipple
- Extra deep adjustable plastic soap dish
- Easy-locking adjustable height and rotating sprayer holder grips firmly where positioned anywhere along the bar to allow for infinite positioning
- 1" diameter metal bar and all brass posts with stainless steel mounting hardware
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M

Easy Clean Jets
Just Rub 'em



REFRESHED
DESIGN

Hand-Held Shower

OEM #	Aftermarket #	Finish	Sprayer Type	Hose Length	Hose Type
134-0003-CP	134-0003-CP-R	Chrome	6-Function	6' (1.8m)	Stainless Steel

- 6-function, heavy duty, ABS plastic sprayer with self-cleaning jets
- Water conserving "stand-by" setting (**NOTE:** "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle)
- Heavy duty hose
- ABS plastic 90° bulkhead elbow with brass nipple
- 2-position ABS plastic bulkhead sprayer holder with stainless steel mounting hardware
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M

Easy Clean Jets
Just Rub 'em



REGULATOR 28
FEATURING STASIS™ HEAD FAUCET# 132-0100-CP
& STAINLESS STEEL SINK# S24-1408-UM

MARINE
GRADE

SHOWER ACCESSORIES

Bulkhead Sprayer Holder

2-Position


- Works with most standard 1/2" conical hoses
- Two positions allows sprayers to sit up-right or angled
- Heavy duty, ABS plastic
- Stainless steel mounting screws



Bulkhead Sprayer Holder

w/Locking Teeth

- Specific for use with Ambassador Marine sprayers with 15/1 Metric-F connection
- Unique "Locking Teeth" prevent sprayer with corresponding Locking Teeth from rotating while in faucet body or bulkhead holder
- Heavy duty, ABS plastic
- Stainless steel mounting screws



FOR USE WITH:
Aidack™ Pull-Out Deck Taps & Trinidad™ Head/Shower Combo Faucets


Stand-By Switch

- Works with most standard 1/2" hoses
- All brass
- NOTE:** "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle
- Connections: 1/2" NPS-M & 1/2" NPS-F



90° Bulkhead Elbow

- Works with most standard 1/2" hoses
- All brass
- Allows hose to hang flat against the bulkhead
- Designed for thin (fiberglass) walls/surfaces
- Easy installation – mounts directly to bulkhead, brass pipe nipple and lock nut included
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-M & 1/2" NPS-M



Tub Spout

- All brass
- Pull-up diverter control to switch between tub and shower
- Single hole mount, 1" Ø
- Connections: 1/2" NPS-F



HEAD ACCESSORIES

MARINE
GRADE



Head Accessories

- All metal with brass body and base
- Mounting hardware included

COORDINATES WITH:

AIDACK™ SERIES
ALLURE™ SERIES
AVIANI™ SERIES

OEM #	Aftermarket #	Finish	Item
130-1910-CP	--	Chrome	Robe Hook
130-1907-CP	--	Chrome	Towel Ring
130-1908-CPΔ	--	Chrome	Cup Holder
130-1909-CPΔ	--	Chrome	Soap Dish
130-1939-CPΔ	--	Chrome	Soap Basket
130-1901-CP	--	Chrome	Single Post T.P. Holder
130-1925-CP	--	Chrome	18" (45.7 cm) Towel Bar Set
130-1938-CPΔ	--	Chrome	24" (60.9 cm) Towel Bar Set



Head Accessories

- All metal with brass body and base
- Mounting hardware included

COORDINATES WITH:

ARTAINE™ SERIES

OEM #	Aftermarket #	Finish	Item
130-2210-CP	--	Chrome	Robe Hook
130-2207-CP	--	Chrome	Towel Ring
130-2208-CP	--	Chrome	Cup Holder
130-2209-CP	--	Chrome	Soap Dish
130-2239-CP	--	Chrome	Soap Basket
130-2201-CP	--	Chrome	Single Post T.P. Holder
130-2225-CP	--	Chrome	18" (45.7 cm) Towel Bar Set
130-2210-NP	--	Brushed Nickel	Robe Hook
130-2207-NP	--	Brushed Nickel	Towel Ring
130-2208-NP	--	Brushed Nickel	Cup Holder
130-2209-NP	--	Brushed Nickel	Soap Dish
130-2239-NP	--	Brushed Nickel	Soap Basket
130-2201-NP	--	Brushed Nickel	Single Post T.P. Holder
130-2225-NP	--	Brushed Nickel	18" (45.7 cm) Towel Bar Set

ELINA™ SERIES

ERISSA™ SERIES

MARINE
GRADE

HEAD ACCESSORIES



Head Accessories

- All metal
- Mounting hardware included

COORDINATES WITH:

IRVA™ SERIES
PACIFICA™ SERIES
STASIS™ SERIES
TRINIDAD™ SERIES

OEM #	Aftermarket #	Finish	Item
130-1810-CP	--	Chrome	Robe Hook
130-1807-CP	--	Chrome	Towel Ring
130-1808-CP	--	Chrome	Cup Holder
130-1809-CP	--	Chrome	Soap Dish
130-1839-CP	--	Chrome	Soap Basket
130-1801-CP	--	Chrome	Single Post T.P. Holder
130-1826-CP	--	Chrome	Double Post T.P. Holder Set
130-1825-CP	--	Chrome	18" (45.7 cm) Towel Bar Set
130-1838-CPΔ	--	Chrome	24" (60.9 cm) Towel Bar Set
130-1810-NP	--	Brushed Nickel	Robe Hook
130-1807-NP	--	Brushed Nickel	Towel Ring
130-1808-NP	--	Brushed Nickel	Cup Holder
130-1809-NP	--	Brushed Nickel	Soap Dish
130-1839-NP	--	Brushed Nickel	Soap Basket
130-1801-NP	--	Brushed Nickel	Single Post T.P. Holder
130-1826-NPΔ	--	Brushed Nickel	Double Post T.P. Holder Set
130-1825-NP	--	Brushed Nickel	18" (45.7 cm) Towel Bar Set
130-1838-NPΔ	--	Brushed Nickel	24" (60.9 cm) Towel Bar Set


MIAH™ SERIES

MARINE
GRADE

DRINK HOLDERS

Single Drink Holder


- Solid cast 316 stainless steel
- Deck-mount
- Ideal for mugs with handles
- Uses #10 fasteners (not included)



OEM #	Aftermarket #	Finish
P56-8821-SS	P56-8821-SS-R	Stainless Steel


Double Drink Holder

- Solid cast 316 stainless steel
- Deck-mount
- Ideal for mugs with handles
- Uses #10 fasteners (not included)




OEM #	Aftermarket #	Finish
P56-8801-SS	P56-8801-SS-R	Stainless Steel

Small Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• Complete water shut-off when trigger is not engaged • Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow • Heavy duty, UV protected, ABS plastic • With or without chrome plated brass elbow • With or without removable hook • 316 stainless steel internal plunger rod • Connection: 1/2" NPS-M or 15/1 Metric-F						
	1/2" NPS-M					
						
	1/2" NPS-M Elbow					
						
	1/2" NPS-M Elbow					
						
	15/1 Metric-F Elbow, With "Locking Teeth"					
						
	OFF					
	SPRAY					




Large Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• Complete water shut-off when trigger is not engaged • Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow • Heavy duty, UV protected, ABS plastic • With or without chrome plated brass elbow • With or without removable hook • 316 stainless steel internal plunger rod • Connection: 1/2" NPS-M or 15/1 Metric-F						
	1/2" NPS-M					
						
	1/2" NPS-M Elbow					
						
	1/2" NPS-M Elbow					
						
	15/1 Metric-F Elbow, With "Locking Teeth"					
						
	OFF					
	SPRAY					

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder




Hammer-Head Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• Complete water shut-off when trigger is not engaged • Depressing trigger allows for intermittent water flow – lifting trigger locks it on for continuous water flow • Heavy duty, UV protected, ABS plastic and chrome plated brass • All brass head and trigger • With or without elbow • With or without removable hook • Connection: 1/2" NPS-M						
	1/2" NPS-M					
						
	1/2" NPS-M Elbow					
						
	1/2" NPS-M Elbow, Elite Base					
						
	1/2" NPS-M Elbow, Elite Base					
						
	OFF					
	SPRAY					



Classic Marine Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• 2-function spray/aerated stream with water conserving "stand-by" button (NOTE: "stand-by" is NOT a complete water shut-off, it allows a small amount of water to continue to trickle) • Heavy duty, UV protected, ABS plastic and chrome plated brass • Connection: 1/2" NPS-M or 15/1 Metric-F						
	15/1 Metric-F w/ Locking Teeth					
						
	15/1 Metric-F w/ Locking Teeth					
						
	15/1 Metric-F NO Locking Teeth					
						
	AERATE					

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder



Pull-Out Kitchen Sprayer

	OEM #	Aftermarket #	Sprayer Finish	Elbow	Connection	Integrated Hook
• 2-function spray/aerated stream • Heavy duty, UV protected, ABS plastic • With or without chrome plated brass elbow • Connection: 1/2" NPS-M or 15/1 Metric-F						
	1/2" NPS-M					
						
	1/2" NPS-M					

"Locking Teeth" prevent sprayer from rotating while in faucet body or bulkhead holder



REFRESHED
DESIGN

Hose

15/1 Metric-M + 1/2 inch NPS-F

- Brass fittings
 - Female fitting includes rubber washer
- Rubber Hoses**
- Heavy duty, UV protected, extra-soft nylon hose
 - Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
 - UV protection prevents discoloring and reduces cracking

- Stainless Steel Hose**
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
 - Extremely flexible with little-to-no “memory”

FOR USE WITH:

Aidack™ Pull-Out Deck Taps & Trinidad™ Head/Shower Combo Faucets

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0017-WH§	130-0017-WH-R§	White	6' (1.8m)	Rubber
130-0028-WH	130-0028-WH-R	White	10' (3m)	Rubber
130-0017-KP	130-0017-KP-R	Black	6' (1.8m)	Rubber
130-0028-KPΔ	130-0028-KP-RΔ	Black	10' (3m)	Rubber
130-0017-SS	130-0017-SS-R	Stainless Steel	6' (1.8m)	Stainless Steel
130-0028-SSΔ	130-0028-SS-RΔ	Stainless Steel	10' (3m)	Stainless Steel



REFRESHED
DESIGN

Hose

1/2 inch NPS-F Conical + 1/2 inch NPS-F

- Brass fittings
 - Female fittings include rubber washers
- Rubber Hoses**
- Heavy duty, UV protected, extra-soft nylon hose
 - Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
 - UV protection prevents discoloring and reduces cracking

- Stainless Steel Hose**
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
 - Extremely flexible with little-to-no “memory”

FOR USE WITH:

Recessed / Transom / Slide Bar / Hand-Held Showers & Deck Sprayers with Elite Deck Holders

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0033-WH	130-0033-WH-R	White	6' (1.8m)	Rubber
130-0018-WH§	130-0018-WH-R§	White	10' (3m)	Rubber
130-0033-KP§	130-0033-KP-R§	Black	6' (1.8m)	Rubber
130-0018-KPΔ	130-0018-KP-RΔ	Black	10' (3m)	Rubber
130-0033-SS	130-0033-SS-R	Stainless Steel	6' (1.8m)	Stainless Steel
130-0018-SSΔ	130-0018-SS-RΔ	Stainless Steel	10' (3m)	Stainless Steel



REFRESHED
DESIGN

Hose

1/2 inch NPS-F Conical + 1/2 inch NPS-F Adapter

- Brass fittings
 - Female fittings include rubber washers
- Rubber Hoses**
- Heavy duty, UV protected, extra-soft nylon hose
 - Newly upgraded extra-soft nylon makes hose very flexible with little-to-no “memory”, making it ideal for gathering in tight spaces
 - UV protection prevents discoloring and reduces cracking

- Stainless Steel Hose**
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
 - Extremely flexible with little-to-no “memory”

FOR USE WITH:

Deck Sprayers with Standard Deck Holders

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0032-WH	130-0032-WH-R	White	6' (1.8m)	Rubber
130-0029-WH§	130-0029-WH-R§	White	10' (3m)	Rubber
130-0032-KP§	130-0032-KP-R§	Black	6' (1.8m)	Rubber
130-0029-KPΔ	130-0029-KP-RΔ	Black	10' (3m)	Rubber
130-0032-SS	130-0032-SS-R	Stainless Steel	6' (1.8m)	Stainless Steel
130-0029-SSΔ	130-0029-SS-RΔ	Stainless Steel	10' (3m)	Stainless Steel



FOR USE WITH:

Pull-Out Faucets with Quick-Connect (B) Pull-Out Hose Connections

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0043-SS	130-0043-SS-R	Stainless Steel	4' (1.2m)	Stainless Steel
130-0044-SS	130-0044-SS-R	Stainless Steel	6' (1.8m)	Stainless Steel
130-0045-SS	130-0045-SS-R	Stainless Steel	10' (3m)	Stainless Steel

Hose

Spout Head + Quick-Connect (B)

- Proprietary quick-connect fitting
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
- Extremely flexible with little-to-no “memory”
- Brass fittings



FOR USE WITH:

Pull-Out Faucets with Quick-Connect (A) Pull-Out Hose Connections

OEM #	Aftermarket #	Finish	Hose Length	Hose Type
130-0037-SS∞	--	Stainless Steel	4' (1.2m)	Stainless Steel
130-0034-SS∞	--	Stainless Steel	6' (1.8m)	Stainless Steel

Hose

Spout Head + Quick-Connect Adapter (A)

- Proprietary quick-connect fitting
- Requires screw-on quick-connect adapter, sold separately
- Heavy duty, continuous polished stainless steel ribbon wrapped around soft inner nylon hose
- Extremely flexible with little-to-no “memory”
- Brass fittings



EDGEWATER 370CC
FEATURING TRINIDAD™ HEAD/SHOWER COMBO FAUCET# 134-0213-CP

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/16" (for reference only – may not be to scale)
∞ Available While Supplies Last

Visit ambassadormarine.com for more information

NOTE: Dimension Drawings ±1/16" (for reference only – may not be to scale)
§ To Be Upgraded To Extra-Soft Rubber Hose When Inventory Is Depleted

VESSEL SINKS


MARINE
GRADE

Our **Glass Vessel Sinks** work with over mount installations only and may be installed with or without a decorative base ring. All sinks are made from heavy tempered glass. Drain kit sold separately (see pages 57 through 62).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (colors / textures / sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.


Half Sphere
Glass Vessel – Smooth Glass

- Height: 4 3/4"
- Outside dimensions: 12" Ø
- Heavy tempered glass
- Over-counter mount only
- Optional mounting base ring, sold separately
- Fits 1 3/4" drains, sold separately



Rectangle
Glass Vessel – Smooth Glass

- Height: 5 1/2"
- Outside dimensions: 16 1/2" x 16 1/2"
- Heavy tempered glass
- Over-counter mount only
- Optional mounting base ring, sold separately
- Fits 1 3/4" drains, sold separately



Drains
sold separately (see pages 57-62)



Glass Vessel Mounting Base
(Optional)

- Optional– for use with glass vessel sinks
- Lifts sink 1/2" off counter top
- Solid brass
- For use with 1 3/4" drains



GLASS & CERAMIC VESSEL SINKS
ARE AVAILABLE IN THOUSANDS OF COLORS, SHAPES, SIZES AND TEXTURES

Our exclusive partnerships allow us to quickly add virtually any style glass or ceramic vessel sink requested, ask your sales representative for options. Minimum annual commitment and additional lead-time may be required.



- CERAMIC COLORS**
- White (Gloss & Matte)
 - Stone (multiple)
 - Biscuit
 - Almond
 - Black
 - and many more!

- GLASS COLORS**
- Clear
 - Blue
 - Smoke
 - Green
 - Frost
 - Amber
 - Stone (multiple)
 - and many more!
- GLASS TEXTURES**
- Smooth
 - Rain
 - Squares
 - Triangles
 - Scalloped
 - and many more!

MARINE
GRADE


VESSEL SINKS

Our **Ceramic Vessel Sinks** work with over mount installations only. Sinks are made from natural earthen clay. Drain kit sold separately (see pages 57 through 62).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (colors / textures / sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.


Half Sphere
Ceramic Vessel – Smooth Surface

- Height: 5 3/4"
- Outside dimensions: 12 1/2" Ø
- Ceramic (aka "porcelain" or "vitreous china")
- Over-counter mount only
- Fits 1 3/4" drains, sold separately




Rectangle
Ceramic Vessel – Smooth Surface

- Height: 4 3/4"
- Outside dimensions: 18 3/8" x 19 1/8"
- Ceramic (aka "porcelain" or "vitreous china")
- Over-counter mount only
- Fits 1 3/4" drains, sold separately



Rectangle
Ceramic Vessel – Smooth Surface

- Height: 5 1/2"
- Outside dimensions: 18 3/4" x 15"
- Faucet mounts directly on sink, 1 1/2" hole
- Ceramic (aka "porcelain" or "vitreous china")
- Over-counter mount only
- Fits 1 3/4" drains, sold separately



Drains
sold separately (see pages 57-62)




STAINLESS STEEL SINKS

MARINE GRADE

Most of our **Stainless Steel Sinks** work with over or under mount installations. All sinks are made from heavy gauge 304 stainless steel and features our exclusive **SoundKOTE** – Noise Reduction Technology. Drain kit sold separately (see pages 57 through 62).

If you need a configuration that is not shown, simply ask your sales representative for options. Additional configurations (finishes / flanges / drain sizes) may be available. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



Half Sphere

Stainless Steel Sink

- Depth: 4 3/4"
- Outside dimensions: 9 1/2" Ø
- Bowl dimensions: 8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S24-1408-UM	S24-1408-UM-R	Ultra-Mirror	Each
S24-1408-UM-10p	--	Ultra-Mirror	10-Pack
S24-1408-BR	S24-1408-BR-R	Brushed	Each
S24-1408-BR-10p	--	Brushed	10-Pack




Half Sphere

Stainless Steel Sink

- Depth: 4 1/4"
- Outside dimensions: 10 1/2" Ø
- Bowl dimensions: 9" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- With mounting tabs, for over-counter mounting
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S26-1409-UM	S26-1409-UM-R	Ultra-Mirror	Each
S26-1409-UM-10p	--	Ultra-Mirror	10-Pack
S26-1409-BR	S26-1409-BR-R	Brushed	Each
S26-1409-BR-10p	--	Brushed	10-Pack



Drains

sold separately (see pages 57-62)

Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 62)



SOLACE 41CS
FEATURING AIDACK™ ELITE FOLDING FAUCET# 132-1427-CP
& STAINLESS STEEL SINK# S44-1610-UM

MARINE GRADE

STAINLESS STEEL SINKS




Half Sphere

Stainless Steel Sink

- Depth: 4 7/8"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 1 1/2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S24-6400-UM	S24-6400-UM-R	Ultra-Mirror	Each
S24-6400-UM-10p	--	Ultra-Mirror	10-Pack




Half Sphere

Stainless Steel Sink

- Depth: 4 3/4"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S24-1400-UM	S24-1400-UM-R	Ultra-Mirror	Each
S24-1400-UM-10p	--	Ultra-Mirror	10-Pack




Half Sphere

Stainless Steel Sink

- Depth: 5 7/8"
- Outside dimensions: 13 1/4" Ø
- Bowl dimensions: 11 3/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S24-1501-UM	S24-1501-UM-R	Ultra-Mirror	Each
S24-1501-UM-10p	--	Ultra-Mirror	10-Pack




STAINLESS STEEL SINKS

MARINE GRADE

Oval

Stainless Steel Sink


- Depth: 5 1/4"
- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 1/4" x 8 1/2"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 1 1/2" drains, sold separately



Oval

Stainless Steel Sink


- Depth: 5 1/4"
- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 1/4" x 8 1/2"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



Oval

Stainless Steel Sink

- Depth: 5 1/4"
- Outside dimensions: 17" x 12"
- Bowl dimensions: 14 3/4" x 9 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- With mounting studs, for over-counter mounting
- Fits 1 1/2" drains, sold separately



Drains
sold separately (see pages 57-62)



Under-Mount Sink Brackets
optional for solid surfaces or stone counters
sold separately (see page 62)


MARINE GRADE

STAINLESS STEEL SINKS

Cylinder

Stainless Steel Sink


- Depth: 5 1/4"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



Cylinder

Stainless Steel Sink


- Depth: 7 1/2"
- Outside dimensions: 11 1/2" Ø
- Bowl dimensions: 10 1/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



Cylinder

Stainless Steel Sink

- Depth: 5 1/4"
- Outside dimensions: 13 3/8" Ø
- Bowl dimensions: 11 3/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



Drains
sold separately (see pages 57-62)



Under-Mount Sink Brackets
optional for solid surfaces or stone counters
sold separately (see page 62)

STAINLESS STEEL SINKS

MARINE GRADE



Cylinder

Stainless Steel Sink

- Depth: 7 1/4"
- Outside dimensions: 13 3/8" Ø
- Bowl dimensions: 11 3/4" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S14-2701-UM	S14-2701-UM-R	Ultra-Mirror	Each
S14-2701-UM-10p	--	Ultra-Mirror	10-Pack



Cylinder

Stainless Steel Sink

- Depth: 6"
- Outside dimensions: 15" Ø
- Bowl dimensions: 12 3/8" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately




OEM #	Aftermarket #	Finish	Package Type
S14-2602-UM	S14-2602-UM-R	Ultra-Mirror	Each
S14-2602-UM-10p	--	Ultra-Mirror	10-Pack



Cylinder

Stainless Steel Sink

- Depth: 7 1/2"
- Outside dimensions: 18" Ø
- Bowl dimensions: 16 1/2" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S14-2706-BR	S14-2706-BR-R	Brushed	Each
S14-2706-BR-5p	--	Brushed	5-Pack

Drains

sold separately (see pages 57-62)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 62)

MARINE GRADE


STAINLESS STEEL SINKS



Cylinder

Stainless Steel Sink

- Depth: 8 1/2"
- Outside dimensions: 18" Ø
- Bowl dimensions: 16 1/2" Ø
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S14-2806-UM	S14-2806-UM-R	Ultra-Mirror	Each
S14-2806-UM-5p	--	Ultra-Mirror	5-Pack

Drains

sold separately (see pages 57-62)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 62)



INTREPID 477 EVOLUTION
FEATURING TRINIDAD™ ELITE FOLDING FAUCET# 133-0210-CP
& STAINLESS STEEL SINK# S26-1409-BR



SEA RAY SLX 310
FEATURING AIDACK™ ELITE FOLDING TAP# 132-1739-CP
& STAINLESS STEEL SINK# S64-6530-UM

STAINLESS STEEL SINKS

MARINE
GRADE




Rectangle

Stainless Steel Sink

- Depth: 6 1/8"
- Outside dimensions: 12 3/4" x 6 3/4"
- Bowl dimensions: 11 3/4" x 5 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-1610-UM	S44-1610-UM-R	Ultra-Mirror	Each
S44-1610-UM-10p	--	Ultra-Mirror	10-Pack
S44-1610-BR	S44-1610-BR-R	Brushed	Each
S44-1610-BR-10p	--	Brushed	10-Pack




Rectangle

Stainless Steel Sink

- Depth: 7 1/8"
- Outside dimensions: 13 1/4" x 10 1/2"
- Bowl dimensions: 11 3/4" x 9"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-1711-BR	S44-1711-BR-R	Brushed	Each
S44-1711-BR-5p	--	Brushed	5-Pack




Rectangle

Stainless Steel Sink

- Depth: 8 1/8"
- Outside dimensions: 14" x 13 1/4"
- Bowl dimensions: 12 1/2" x 11 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-1831-UM	S44-1831-UM-R	Ultra-Mirror	Each
S44-1831-UM-5p	--	Ultra-Mirror	5-Pack
S44-1831-BR	S44-1831-BR-R	Brushed	Each
S44-1831-BR-5p	--	Brushed	5-Pack



Drains

sold separately (see pages 57-62)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters
sold separately (see page 62)



MARINE
GRADE

STAINLESS STEEL SINKS



Rectangle

Stainless Steel Sink

- Depth: 6 1/8"
- Outside dimensions: 14 1/2" x 14 1/2"
- Bowl dimensions: 13" x 13"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-4614-UM	S44-4614-UM-R	Ultra-Mirror	Each
S44-4614-UM-5p	--	Ultra-Mirror	5-Pack
S44-4614-BR	S44-4614-BR-R	Brushed	Each
S44-4614-BR-5p	--	Brushed	5-Pack




Rectangle

Stainless Steel Sink

- Depth: 9 3/4"
- Outside dimensions: 14 1/2" x 14 1/2"
- Bowl dimensions: 13" x 13"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-4914-UM	S44-4914-UM-R	Ultra-Mirror	Each
S44-4914-UM-5p	--	Ultra-Mirror	5-Pack
S44-4914-BR	S44-4914-BR-R	Brushed	Each
S44-4914-BR-5p	--	Brushed	5-Pack




Rectangle

Stainless Steel Sink

- Depth: 7 1/2"
- Outside dimensions: 17 1/8" x 15 1/2"
- Bowl dimensions: 15 1/2" x 13 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- Super-SoundKOTE®– Noise Reduction Technology
- Under-counter mount only
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S43-1718-BR∞	S43-1718-BR-R∞	Brushed	Each



Drains

sold separately (see pages 57-62)




Under-Mount Sink Brackets

optional for solid surfaces or stone counters
sold separately (see page 62)



STAINLESS STEEL SINKS

MARINE GRADE



Rectangle

Stainless Steel Sink


- Depth: 7 1/2"
- Outside dimensions: 19 7/8" x 15 3/4"
- Bowl dimensions: 17 7/8" x 13 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S44-1732-BR	S44-1732-BR-R	Brushed	Each
S44-1732-BR-5p	--	Brushed	5-Pack



ALBEMARLE 36 EXPRESS
FEATURING STASIS™ HEAD FAUCET# 132-0100-CP
& STAINLESS STEEL SINK# S67-6515-BR



Double Rectangle

Stainless Steel Sink

- Depth: 8 1/8"
- Outside dimensions: 23 1/4" x 13 1/4"
- Bowl dimensions: 12 1/2" x 11 3/4" + 9" x 11 3/4"
- 304 stainless steel, heavy gauge
- Passivated
- SoundKOTE®– Noise Reduction Technology
- Over- or under-counter mount
- Fits 2" drains, sold separately



OEM #	Aftermarket #	Finish	Package Type
S54-1823-UM	S54-1823-UM-R	Ultra-Mirror	Each
S54-1823-UM-5p	--	Ultra-Mirror	5-Pack



Drains

sold separately (see pages 57-62)



Under-Mount Sink Brackets

optional for solid surfaces or stone counters

sold separately (see page 62)


MARINE GRADE

DRAINS – 1 3/4"

Our 1 3/4" Drains are made from heavy duty plastic and/or brass and are available in a wide variety of configurations and finishes, to match our sinks and your décor.

Most vessel sinks use a 1 3/4" drain and are generally used as head sinks. 1 3/4" drains are the standard size drain for vessel sinks in North America and Europe.

If you need a configuration that is not shown, ask your sales representative for options.
Minimum annual commitment and additional lead-time may be required for non-standard configurations.




NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 3/4"


Touch Drain

With 1 1/4"-M Thread

- Tap to open/close
- All brass
- Connection: 1 1/4"-M thread



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0704-CP	V03-0704-CP-R	Chrome	No	1 1/4"-M Thread
V03-0704-NP	V03-0704-NP-R	Brushed Nickel	No	1 1/4"-M Thread
V03-0704-VMK	V03-0704-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4"-M Thread



1 3/4"

SERIES


NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 3/4"


Touch / Trap Drain

With 3/4" & 1" Hose Barb

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 3/4" & 1" hose barb



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0708-CP	V03-0708-CP-R	Chrome	No	3/4" & 1" Hose Barb
V03-0708-NP	V03-0708-NP-R	Brushed Nickel	No	3/4" & 1" Hose Barb
V03-0708-VMK	V03-0708-VMK-R	Dura-Life Finish™ Matte Black	No	3/4" & 1" Hose Barb



1 3/4"

SERIES


NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 3/4"


Touch / Trap Drain

With 1 1/4" & 1 1/2" Hose Barb

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 1 1/4" & 1 1/2" hose barb



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0709-CP	V03-0709-CP-R	Chrome	No	1 1/4" & 1 1/2" Hose Barb
V03-0709-NP	V03-0709-NP-R	Brushed Nickel	No	1 1/4" & 1 1/2" Hose Barb
V03-0709-VMK	V03-0709-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4" & 1 1/2" Hose Barb



1 3/4"

SERIES


NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 3/4"


Touch / Trap Drain

With 1 1/4"-M Thread

- Tap to open/close
- Easy trap access
- All brass top
- Connection: 1 1/4"-M thread



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
V03-0716-CP	V03-0716-CP-R	Chrome	No	1 1/4"-M Thread
V03-0716-NP	V03-0716-NP-R	Brushed Nickel	No	1 1/4"-M Thread
V03-0716-VMK	V03-0716-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4"-M Thread



1 3/4"

SERIES

DRAINS – 1 1/2"

MARINE GRADE

Our 1 1/2" Drains are made from heavy duty plastic, brass and/or stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.


Sinks with 1 1/2" drains are generally used as head sinks. 1 1/2" drains are the standard size drain for lavatory sinks in North America.

If you need a configuration that is not shown, ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.

1 1/2" 95° Elbow Drain

With 1" Hose Barb

- Low profile
- Chain stopper
- Finished stainless steel flange to match sink finish
- Connection: 1" hose barb




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0101-UP	S01-0101-UP-R	Ultra-Mirror	--	1" Hose Barb
S01-0101-BP	S01-0101-BP-R	Brushed	--	1" Hose Barb

1 1/2" Straight Drain

With 1 1/4"-M Thread

- Low profile
- Chain stopper
- Finished stainless steel flange to match sink finish
- Connection: 1 1/4"-M thread




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0104-UP	S01-0104-UP-R	Ultra-Mirror	--	1 1/4"-M Thread
S01-0104-BP	S01-0104-BP-R	Brushed	--	1 1/4"-M Thread

1 1/2" Flip Drain

With 1 1/4"-M Thread

- Low profile
- Flip to open/close
- With or without overflow intake
- All brass
- Connection: 1 1/4"-M thread




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0304-CP	S01-0304-CP-R	Chrome	No	1 1/4"-M Thread
S01-0504-CP	S01-0504-CP-R	Chrome	Yes	1 1/4"-M Thread
S01-0304-NP	S01-0304-NP-R	Brushed Nickel	No	1 1/4"-M Thread
S01-0504-NP	S01-0504-NP-R	Brushed Nickel	Yes	1 1/4"-M Thread
S01-0304-VMK	S01-0304-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4"-M Thread


1 1/2" Flip Drain

With 1 1/4"-M Sweat

- Flip to open/close
- With or without overflow intake
- All brass
- Connection: 1 1/4"-M sweat fitting



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0311-CP	S01-0311-CP-R	Chrome	No	1 1/4"-M Sweat
S01-0511-CP	S01-0511-CP-R	Chrome	Yes	1 1/4"-M Sweat
S01-0311-NP	S01-0311-NP-R	Brushed Nickel	No	1 1/4"-M Sweat
S01-0511-NP	S01-0511-NP-R	Brushed Nickel	Yes	1 1/4"-M Sweat
S01-0311-VMK	S01-0311-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4"-M Sweat



1 1/2" SERIES

MARINE GRADE


DRAINS – 1 1/2"

NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 1/2" Flip / Trap Drain

With 3/4" & 1" Hose Barb

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 3/4" & 1" hose barb




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0308-CP	S01-0308-CP-R	Chrome	No	3/4" & 1" Hose Barb
S01-0508-CP	S01-0508-CP-R	Chrome	Yes	3/4" & 1" Hose Barb
S01-0308-NP	S01-0308-NP-R	Brushed Nickel	No	3/4" & 1" Hose Barb
S01-0508-NP	S01-0508-NP-R	Brushed Nickel	Yes	3/4" & 1" Hose Barb
S01-0308-VMK	S01-0308-VMK-R	Dura-Life Finish™ Matte Black	No	3/4" & 1" Hose Barb

NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 1/2" Flip / Trap Drain

With 1 1/4" & 1 1/2" Hose Barb

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 1 1/4" & 1 1/2" hose barb




OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0309-CP	S01-0309-CP-R	Chrome	No	1 1/4" & 1 1/2" Hose Barb
S01-0509-CP	S01-0509-CP-R	Chrome	Yes	1 1/4" & 1 1/2" Hose Barb
S01-0309-NP	S01-0309-NP-R	Brushed Nickel	No	1 1/4" & 1 1/2" Hose Barb
S01-0509-NP	S01-0509-NP-R	Brushed Nickel	Yes	1 1/4" & 1 1/2" Hose Barb
S01-0309-VMK	S01-0309-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4" & 1 1/2" Hose Barb

NEW
DURA-LIFE
FINISH™
MATTE BLACK

1 1/2" Flip / Trap Drain

With 1 1/4"-M Thread

- Flip to open/close
- With or without overflow intake
- Easy trap access
- All brass top
- Connection: 1 1/4"-M thread



OEM #	Aftermarket #	Finish	Overflow Intake	Connection
S01-0316-CP	S01-0316-CP-R	Chrome	No	1 1/4"-M Thread
S01-0516-CP	S01-0516-CP-R	Chrome	Yes	1 1/4"-M Thread
S01-0316-NP	S01-0316-NP-R	Brushed Nickel	No	1 1/4"-M Thread
S01-0516-NP	S01-0516-NP-R	Brushed Nickel	Yes	1 1/4"-M Thread
S01-0316-VMK	S01-0316-VMK-R	Dura-Life Finish™ Matte Black	No	1 1/4"-M Thread



SPORTSMAN OPEN 282
FEATURING AIDACK™ ELITE FOLDING TAP# 132-1739-CP

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ±1/16" (for reference only – may not be to scale)


DRAINS – 2"

MARINE GRADE

Our **2" Drains** are made from heavy duty plastic and stainless steel and are available in a wide variety of configurations and finishes, to match our sinks and your décor.

Sinks with 2" drains can be used as galley or head sinks. This is the standard size for most sinks in Europe and the rest of the world.


If you need a configuration that is not shown, ask your sales representative for options. Minimum annual commitment and additional lead-time may be required for non-standard configurations.



2" 95° Elbow Drain
With 1" Hose Barb

2" SERIES



	OEM #	Aftermarket #	Finish	Strainer Basket	Connection
DRAIN 2" DRAIN 2 3/4" (7 cm) 2" (5.1 cm) 2 1/8" (5.2 cm)	S00-0101-UP	S00-0101-UP-R	Ultra-Mirror	No	1" Hose Barb
	S00-1102-UP	S00-1102-UP-R	Ultra-Mirror	Yes	1" Hose Barb
	S00-0101-BP	S00-0101-BP-R	Brushed	No	1" Hose Barb
	S00-1102-BP	S00-1102-BP-R	Brushed	Yes	1" Hose Barb



2" Straight Drain
With 1 1/4"-M Thread

2" SERIES

	OEM #	Aftermarket #	Finish	Strainer Basket	Connection
DRAIN 2" DRAIN 2 3/4" (7 cm) 2" (5.1 cm) 2 1/8" (5.2 cm)	S00-0104-UP	S00-0104-UP-R	Ultra-Mirror	No	1 1/4"-M Thread
	S00-1104-UP	S00-1104-UP-R	Ultra-Mirror	Yes	1 1/4"-M Thread
	S00-0104-BP	S00-0104-BP-R	Brushed	No	1 1/4"-M Thread
	S00-1104-BP	S00-1104-BP-R	Brushed	Yes	1 1/4"-M Thread




2" 95° Elbow Floor Drain
With 1" Hose Barb

2" SERIES

	OEM #	Aftermarket #	Finish	Strainer Basket	Connection
DRAIN 2" DRAIN 2 3/4" (7 cm) 2" (5.1 cm) 2 1/8" (5.2 cm)	S00-0003-UP	S00-0003-UP-R	Ultra-Mirror	--	1" Hose Barb
	S00-0003-BP	S00-0003-BP-R	Brushed	--	1" Hose Barb

MARINE GRADE


DRAINS – 2"



2" Trap Drain
With 3/4" & 1" Hose Barb

2" SERIES


	OEM #	Aftermarket #	Finish	Strainer Basket	Connection
DRAIN 2" DRAIN 2 3/4" (7 cm) 2" (5.1 cm) 2 1/8" (5.2 cm)	S00-0108-UP	S00-0108-UP-R	Ultra-Mirror	No	3/4" & 1" Hose Barb
	S00-1108-UP	S00-1108-UP-R	Ultra-Mirror	Yes	3/4" & 1" Hose Barb
	S00-0108-BP	S00-0108-BP-R	Brushed	No	3/4" & 1" Hose Barb
	S00-1108-BP	S00-1108-BP-R	Brushed	Yes	3/4" & 1" Hose Barb



2" Trap Drain
With 1 1/4" & 1 1/2" Hose Barb

2" SERIES

	OEM #	Aftermarket #	Finish	Strainer Basket	Connection
DRAIN 2" DRAIN 2 3/4" (7 cm) 2" (5.1 cm) 2 1/8" (5.2 cm)	S00-0109-UP	S00-0109-UP-R	Ultra-Mirror	No	1 1/4" & 1 1/2" Hose Barb
	S00-1109-UP	S00-1109-UP-R	Ultra-Mirror	Yes	1 1/4" & 1 1/2" Hose Barb
	S00-0109-BP	S00-0109-BP-R	Brushed	No	1 1/4" & 1 1/2" Hose Barb
	S00-1109-BP	S00-1109-BP-R	Brushed	Yes	1 1/4" & 1 1/2" Hose Barb




2" Trap Drain
With 1 1/4"-M Thread

2" SERIES

	OEM #	Aftermarket #	Finish	Strainer Basket	Connection
DRAIN 2" DRAIN 2 3/4" (7 cm) 2" (5.1 cm) 2 1/8" (5.2 cm)	S00-0116-UP	S00-0116-UP-R	Ultra-Mirror	No	1 1/4"-M Thread
	S00-1116-UP	S00-1116-UP-R	Ultra-Mirror	Yes	1 1/4"-M Thread
	S00-0116-BP	S00-0116-BP-R	Brushed	No	1 1/4"-M Thread
	S00-1116-BP	S00-1116-BP-R	Brushed	Yes	1 1/4"-M Thread

Glass Vessel Mounting Base (Optional)

- Optional— for use with glass vessel sinks
- Lifts sink 1/2" off counter top
- Solid brass
- For use with 1 3/4" drains

			
OEM #	Aftermarket #	Finish	
V03-0050-CP	V03-0050-CP-R	Chrome	
V03-0050-NP	V03-0050-NP-R	Brushed Nickel	

Under-Mount Sink Bracket (Optional)


- Optional— for use with any under-mount stainless steel sink installation
- Requires solid surface or stone counter top
- All stainless steel

			
OEM #	Aftermarket #	Finish	Package Type
S00-0040-SS	--	Stainless Steel	Each
S00-0044-SS	S00-0044-SS-R	Stainless Steel	4-Pack

Hose Barb Adapters


- Sized to fit true 3/4", 1", 1 1/4" and/or 1 1/2" – US standard hoses
- Fits standard 1 1/4"-M thread drain fittings
- Heavy duty plastic
- Use with hose clamp (not included)
- Connection: 1 1/4"-F thread

OEM #	Aftermarket #	Finish	Type	Connection	Barb
S00-0020-PL	S00-0020-PL-R	Gray	Straight	1 1/4"-F Thread	3/4" & 1" Hose
S00-0021-PL	S00-0021-PL-R	Gray	Straight	1 1/4"-F Thread	1 1/4" & 1 1/2" Hose
S00-0022-PL	S00-0022-PL-R	Gray	90° Elbow	1 1/4"-F Thread	3/4" & 1" Hose



Trap Drain Body

- Fits standard 1 1/4"-M threaded drain fittings
- Side port connects to all Ambassador Marine Hose Barb Adapters or any standard 1 1/4"-F threaded waste line
- Easy trap access
- Heavy duty plastic

				
OEM #	Aftermarket #	Finish	Top Port	Side Port
S00-0016-PL	S00-0016-PL-R	Gray	1 1/4"-F Thread	1 1/4"-M Thread

In-Drain Accessories

- Replacements for items included with Ambassador Marine drains



OEM #	Aftermarket #	Finish	Item	Drain Series
S00-1010-SS	S00-1010-SS-R	Stainless Steel	Lift-Out Strainer Basket	2" Drains
S00-0110-UP	S00-0110-UP-R	Ultra-Mirror	Chain Stopper	2" Drains
S01-0110-PS	S01-0110-PS-R	Black	Chain Stopper	1 1/2" Drains

OEM # – Not Labeled Or Packaged For Resale Aftermarket # – Labeled And Packaged For Resale NOTE: Dimension Drawings ± 1/16" (for reference only – may not be to scale)

Visit ambassadormarine.com for more information

We have thousands of replacement parts available to meet your needs and your customers' needs. To identify and request any needed replacement parts, contact our customer service department at 800.270.4262 or info@ambassadormarine.com



Ambassador Marine faucets, sprayers, shower, drains and accessories are guaranteed to be free from material and workmanship defects under normal use and service for a period of five (5) years from the date of purchase. Proof of purchase is required for any and all warranty claims.

Ambassador Marine sinks are guaranteed to be free from material and workmanship defects under normal use and service for a period of one (1) year from the date of purchase. Proof of purchase is required for any and all warranty claims.

This warranty will not apply to products that were improperly installed, misapplied or incompatible with components not manufactured by Ambassador. Failures due to foreign debris are not covered under the terms of this limited warranty. Ambassador will not warrant any product that is physically damaged, neglected or altered outside the Ambassador factory.

Do not attempt to clean your Ambassador product with any kind of chemical or abrasive cleaner. Any abrasive will mar the finish and void the warranty. Do not leave your Ambassador product exposed to salt air without cleaning it regularly with fresh water, after every exposure or use.

All authorized returns are to be shipped postage prepaid to Ambassador Marine's service center. A Return Authorization Number is required and must be clearly visible on the shipping carton. Package all returns carefully. Ambassador will not be responsible for freight damage incurred during shipping to our service center.

No credit or payment will be issued or allowed to consumers on any item deemed defective. Ambassador Marine's total obligation is limited to the repair or replacement of the defective item only, at Ambassador Marine's sole discretion. All returns will be examined and/or tested under Ambassador Marine test criteria. Replacements will be shipped freight prepaid. Products found by Ambassador to NOT be defective (under the terms of this limited warranty) are subject to charges to be paid by the returnee for the testing and packaging of "tested good" items and may be returned only at returnee's expense. Further damage may occur due to testing and is not the responsibility of Ambassador.

In no event will Ambassador, its affiliated companies or agents be responsible for any labor whatsoever, cost of removal or re-installation, incidental and/or consequential damages arising out of the purchase or use of Ambassador products.

This limited warranty is in lieu of, and supersedes all other warranties, expressed or implied, and no other person is authorized to give any other warranty or assume obligation or liability on Ambassador Marine's behalf.

This limited warranty covers Ambassador Marine products sold or distributed in the United States and Canada only. Customers who purchase Ambassador Marine products sold by distributors in other countries must consult their local distributors for their warranty policy.


This warranty gives you certain legal rights which may vary from state to state.

This warranty is only a representation of the complete Ambassador Marine warranty outlined on the Ambassador Marine website.

Ambassador Marine Inc. reserves the right to make product specification changes, price changes and to change or discontinue models without notice or obligation. All spec drawing dimensions ± 1/16", unless noted. Some components may not be drawn to scale. Actual color of product may differ from printed/on-line materials.

Visit ambassadormarine.com for more information

TRADE SALES REPRESENTATIVES:



UNITED STATES

GSW AND ASSOCIATES

770.753.1463

Main Office
12600 Deerfield Parkway #100
Alpharetta, GA 30004 USA
www.gswandassociates.com

MIDWEST OUTDOOR MARKETING

573.317.1103

Main Office
5707 Osage Beach Parkway
Osage Beach, MO 65065 USA
www.momarketing.com

PAC-WEST MARKETING

800.346.6474

Main Office
10556 Combie Road #6218
Auburn, CA 95604 USA
FAX 775.201.0998 • www.pac-west.net



MEMBER OF
National Marine Manufacturers Association

CANADA

PAC-WEST MARKETING

800.346.6474

Main Office
10556 Combie Road #6218
Auburn, CA 95604 USA
FAX 775.201.0998 • www.pac-west.net

CARIBBEAN & LATIN AMERICA

CALA MARINE

305.254.0214

Main Office
13571 SW 135th Avenue #201
Miami, FL 33186 USA
FAX 305.254.0344 • www.cala-marine.com



PREFERRED VENDOR



PREFERRED VENDOR

Ambassador
MARINE

...products built for the elements.™

1173 Calle Suerte
Camarillo, California 93012-8052
800.270.4262 • 805.482.0053 • FAX 805.482.0056
www.ambassadormarine.com • info@ambassadormarine.com



COVER PHOTO: SCOUT 288 LXF
FEATURING AIDACK™ ELITE FOLDING TAP# 132-1729-CP
& STAINLESS STEEL SINK# S24-1408-UM
Revised 08/26
© 2026, Ambassador Marine, Inc., All Rights Reserved.